

Skidaddles Louisville LLC

552 E. Market St.
Louisville, KY

2 Inspection Visits Since 2025 - 12 Findings

Most recent inspection: Jan 12, 2026

● 12 Important

Across 2 inspections since 2025, the issues cited most often were 922 KAR 2:090. Section 15. Statement of Deficiency and Corrective Action Plans.

(2) Except for a Violation Posing an Immediate Threat as Handled in Accordance with KRS 199.896(5)(c), a Child-care Center Shall Submit a Written corrective Action Plan to the Cabinet or Its Designee Within Fifteen (15) Calendar Days of the Date of the Statement of Deficiency to Eliminate Or correct the Regulatory violation.

Findings:

A PLAN OF CORRECTION WAS DUE ON 02/05/2026 AND AS OF 02/09/2026, THE PLAN OF CORREC (1), 922 KAR 2:120. Section 8. Kitchen Requirements.

(9) Bottles Shall Be:

(a) Individually Labeled;

(b) Promptly Refrigerated;

(c) Covered While Not in Use; And

(d) Consumed Within One (1) Hour of Being Heated or Removed From the refrigerator.

Findings:

General: Based on Observation, There Was an Unlabeled, Uncovered Bottle in the Busy Bees' Refrigerator at the Time of the inspection.

Food Service In Compliance (1), and 922 KAR 2:280. Section 3. Implementation and Enforcement.

(1) A Child Care Staff Member Shall Complete the Background Checks Required in Accordance with This Administrative Regulation and Be Found To

have No Disqualifying Offense Prior to Becoming a Child Care Staff member.

(2) A Current or Prospective Child Care Staff Member Shall Be Subject to Background Checks in Accordance with Sections 4 and 5 of This

administrative Regulation at Intervals Pursuant to 45 C.F.R. 98.43(d).

(3) A Child Care Pr (1). None of the 12 findings were critical.

Inspection Visits

Jan 12, 2026 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 8. Kitchen Requirements.**

(9) Bottles Shall Be:

(a) Individually Labeled;

(b) Promptly Refrigerated;

(c) Covered While Not in Use; And

(d) Consumed Within One (1) Hour of Being Heated or Removed From the refrigerator.

Findings:

General: Based on Observation, There Was an Unlabeled, Uncovered Bottle in the Busy Bees' Refrigerator at the Time of the inspection.

Food Service In Compliance

1065 - Bottles

● **922 KAR 2:090. Section 15. Statement of Deficiency and Corrective Action Plans.**

(2) Except for a Violation Posing an Immediate Threat as Handled in Accordance with KRS 199.896(5)(c), a Child-care Center Shall Submit a Written

corrective Action Plan to the Cabinet or Its Designee Within Fifteen (15) Calendar Days of the Date of the Statement of Deficiency to Eliminate Or

correct the Regulatory violation.

Findings:

A PLAN OF CORRECTION WAS DUE ON 02/05/2026 AND AS OF 02/09/2026, THE PLAN OF CORREC

195 - Plan of Correction/15 days

Oct 10, 2025 10 Findings ● 10 Important

● **922 KAR 2:280. Section 3. Implementation and Enforcement.**

(1) A Child Care Staff Member Shall Complete the Background Checks Required in Accordance with This Administrative Regulation and Be Found To

have No Disqualifying Offense Prior to Becoming a Child Care Staff member.

(2) A Current or Prospective Child Care Staff Member Shall Be Subject to Background Checks in Accordance with Sections 4 and 5 of This

administrative Regulation at Intervals Pursuant to 45 C.F.R. 98.43(d).

(3) A Child Care Pr

10 - Background check/submitted/frequency/re-employment/out of state

● **922 KAR 2:120. Section 8. Kitchen Requirements.**

(4) A Cold-storage Facility Used for Storage of Perishable Food in a Nonfrozen State Shall:

(a) Have an Indicating Thermometer or Other Appropriate Temperature Measuring Device;

(b) Be in a Safe Environment for Preservation; And

(c) Be Forty (40) Degrees Fahrenheit or below.

Findings:

General: Based on Observation, During the Inspection the Following Was found:

1) The Refrigerator Located in the Bumble Bees Room Registered Fifty (50) Degrees Fahren

1040 - Refrigerator

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 8. Kitchen Requirements.**
 - (5) Frozen Food Shall Be:**
 - (a) Kept at a Temperature of Zero Degrees Fahrenheit or Below; And**
 - (b) Thawed:**
 - 1. At Refrigerator temperatures;**
 - 2. Under Cool, Potable Running water;**
 - 3. As Part of the Cooking Process; or**
 - 4. By Another Method in Accordance with the Department for Public Health's Food Safety Standards and Permits, Established in KRS Chapter 217.**

Findings:

General: Based on Observation, During the Inspection the Following Was found:

1) The F

1045 - Frozen Food

- **922 KAR 2:090. Section 8. General.**
 - (1) A Licensee Shall:**
 - (a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And**
 - (b) Protect and Ensure the Health, Safety, and Comfort of Each child.**

Findings:

General: Based on Observation, During the Inspection the Following Was found:

1) A Container of Solid Air Freshener Was Located on the Floor in the Honey Bees room.

2) A Container of Solid Air Freshener Was Located on T

225 - Licensee Responsibility

- **922 KAR 2:090. Section 11. Staff Requirements.**
 - (1) Child-care Center Staff:**
 - (a) Hired After January 1, 2009, Who Have Supervisory Power Over a Minor and Are Not Enrolled in Secondary Education, Shall Have a:**
 - 1. High School diploma;**
 - 2. GED or Qualifying Documentation From a Comparable Educational Entity; or**
 - 3. Commonwealth Child Care Credential as Described in 922 KAR 2:250;**

Findings:

General: Based on Interview and Review of Documentation, Proof of Education Was Not Presented for Three (3) Staff

400 - Educational Requirements

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 11. Staff Requirements.**

(1) Child-care Center Staff:

(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:

- 1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or**
- 2. A Copy of Negative Tuberculin results.**

Findings:

General: Based on Interview and Review of Documentation, Negative TB Tests Were Not Presented for Five (5) Employees (DOH 10/10/2025).

405 - TB Verification

● **922 KAR 2:120. Section 4. Premises Requirements.**

(1) The Premises Shall Be:

- (a) Suitable for the Purpose Intended;**
- (b) Kept Clean and in Good repair;**

Findings:

General: Based on Observation, During the Inspection the Following Was found:

- 1) The Vent Located in the Bathroom Ceiling in the Bumble Bees Room Contained an Accumulation of dust.**
- 2) The Vent Located in Ceiling in the Honey Bees Room Contained an Accumulation of dust.**
- 3) The Vent Located in the Bathroom Ceiling in the Honey Bees Room Con**

585 - Premises Requirements

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;**
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
- (d) Equipped with Liquid Soap;**
- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**
- (f) Equipped with an Easily Clea**

690 - Sink

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 4. Premises Requirements.**

(20) An Outdoor Play Area Shall Have Constant and Active Supervision and Shall Be:

(d) Safe From Foreseeable Hazard;

(e) Well Drained;

(f) Well Maintained;

(g) In Good Repair;

(h) Visible to Staff at All Times; And

(i) Protected by Physical or Natural Barriers from:

1. Traffic;

2. Gullies; and

3. Other hazards.

Findings:

General: Based on Observation and Interview, the Outer Edges of the Playground Contained Pea Gravel.

Interview with the Staff In

795 - Playground Conditions

- **922 KAR 2:120. Section 6. Sleeping and Napping Requirements.**

(3) Rest Time Shall Occur in an Adequate Space According to the Child's Age as Follows:

(a) For an infant:

1. An Individual Non-tiered Crib That Meets Consumer Product Safety Commission Standards Established in 16 C.F.R. 1219-1220;

2. A Firm Crib Mattress in Good Repair with a Clean Tight-fitted Sheet That Shall Be Changed:

a. Weekly; Or

b. Immediately if It Is Soiled or wet;

Findings:

General: Based on Observation, the Sheets on Four

835 - Crib/Mattress/Sheet

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.