

LaGrange Elementary Leopard Spot

500 West Jefferson Street
Lagrange, KY

2 Inspection Visits Since 2024 · 8 Findings

Most recent inspection: Mar 18, 2026

● 8 Important

Across 2 inspections since 2024, the issues cited most often were 922 KAR 2:090. Section 11. Staff Requirements. (16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:

(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program Covering The

following topics:

1. Federal Minimum Health and Safety Requirements Established in 45 C.F.R. 98.41 Related To:

a. Prevention and Control of Infectious Diseases, Including Im (2), 922 KAR 2:090. Section 10. Director Requirements and Responsibilities.

(1) A Director Shall:

(j) Assess Each Staff Person's Interaction with Children in Care and Classroom Performance Through an Annual Written Performance evaluation;

Findings:

General: Based on Interview and Review of Documentation, the Personnel Record for a Staff Member (DOH: 08/16/19) Did Not Contain an Evaluation at the Time of the inspection.

Employee Records Not In Compliance (1), and 922 KAR 2:090. Section 11. Staff Requirements.

(1) Child-care Center Staff:

(a) Hired After January 1, 2009, Who Have Supervisory Power Over a Minor and Are Not Enrolled in Secondary Education, Shall Have a:

1. High School diploma:

2. GED or Qualifying Documentation From a Comparable Educational Entity; or

3. Commonwealth Child Care Credential as Described in 922 KAR 2:250;

Findings:

General: Based on Interview and Review of Documentation, the Personnel Record for a Staff Member (DOH: 06/07/24)

(1). None of the 8 findings were critical.

Inspection Visits

Mar 18, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:090. Section 11. Staff Requirements.**
(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:
(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program Covering The following topics:
1. Federal Minimum Health and Safety Requirements Established in 45 C.F.R. 98.41 Related To:
a. Prevention and Control of Infectious Diseases, Including Im
435 - Training

Jun 25, 2024 7 Findings ● 7 Important

- **922 KAR 2:090. Section 10. Director Requirements and Responsibilities.**
(1) A Director Shall:
(j) Assess Each Staff Person's Interaction with Children in Care and Classroom Performance Through an Annual Written Performance evaluation;
Findings:
General: Based on Interview and Review of Documentation, the Personnel Record for a Staff Member (DOH: 08/16/19) Did Not Contain an Evaluation at the Time of the inspection.
Employee Records Not In Compliance
360 - Staff Evaluation

- **922 KAR 2:090. Section 11. Staff Requirements.**
(1) Child-care Center Staff:
(a) Hired After January 1, 2009, Who Have Supervisory Power Over a Minor and Are Not Enrolled in Secondary Education, Shall Have a:
1. High School diploma;
2. GED or Qualifying Documentation From a Comparable Educational Entity; or
3. Commonwealth Child Care Credential as Described in 922 KAR 2:250;
Findings:
General: Based on Interview and Review of Documentation, the Personnel Record for a Staff Member (DOH: 06/07/24)
400 - Educational Requirements

- **922 KAR 2:090. Section 11. Staff Requirements.**
(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:
(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program;
(b) Nine (9) Hours of Cabinet-approved Early Care and Education Training Within the First Year of Employment in a Child Care Program, Including One and One-half (1 ½) Hours of Cabinet-a
435 - Training

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 4. Premises Requirements.**

(1) The Premises Shall Be:

(a) Suitable for the Purpose Intended;

(b) Kept Clean and in Good repair;

Findings:

General: Based on Observation, There Was an Area of the Ceramic Tile Baseboard That Was Missing Numerous Ceramic Tiles, Leaving Sharp Pointed Edges Within the Last Stall of the Girl's bathroom.

585 - Premises Requirements

● **922 KAR 2:120. Section 4. Premises Requirements.**

(9) Floors, Walls, and Ceilings Shall Be Smooth, in Good Repair, and Constructed to Be Easily cleaned.

Findings:

General: Based on Observation, There Was a Piece of Tile Flooring Missing From a Step Leading Into the Green Room and Red Room.

Hygienic Practices In Compliance

First Aid/Medication In Compliance

Outdoor Play Area Not In Compliance

625 - Floors, Walls, Ceilings

● **922 KAR 2:120. Section 4. Premises Requirements.**

(21) A Protective Surface Shall:

(a) Be Provided for Outdoor Play Equipment Used to:

1. Climb;

2. Swing; and

3. Slide; And

(b) Have a Fall Zone Equal to the Height of the equipment.

Findings:

General: Based on Observation During the Inspection, the Following Was found:

Outdoor Play Area

1) There Was a Round Free-standing Rock-climbing Apparatus That Did Not Have Sufficient Protective Surfacing; Dirt and Grass Was visible.

2) There Was a Blue Slide

800 - Protective Surface

● **922 KAR 2:120. Section 13. Toys and Furnishings.**

(2) Indoor and Outdoor Equipment Shall:

(a) Be Clean, Safe, and in Good Repair;

(b) Meet the Physical, Developmental Needs, and Interests of Children of Different Age Groups;

(c) Be Free From Sharp Points or Corners, Splinters, Protruding Nails or Bolts, Loose or Rusty Parts, Hazardous Small Parts, Lead-based Paint, poisonous Material, and Flaking or Chalking Paint; And

(d) Be Designed to Guard Against Entrapment or Situations That May Cause Stran

865 - Indoor/Outdoor Equipment

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.