

Future Generations Child Care

108 Old Wilmore Rd.
Nicholasville, KY

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Apr 15, 2026

● 3 Important

Across 2 inspections since 2024, the issues cited most often were 922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.

(2) A Sink Shall Be:

(a) Located Near or in Close Proximity to Toilets;

(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;

(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;

(d) Equipped with Liquid Soap and Single Use, Disposable Hand Drying Material;

(e) Equipped with an Easily Cleanable, Covered Waste Receptacle; And

(f) Near or In (1), 922 KAR 2:100 - Section 2. Certification Process.

(5) An Adult Living in the Home of the Applicant, Present During the Hours of Operation, or Having Unsupervised Contact with a Child in Care, and The applicant's Assistant Shall:

(b) Submit a Copy of Negative Tuberculin Results or a Health Professional's Statement Documenting That the Adult Is Free of Active tuberculosis.

Findings:

General: Based on Interview with the Provider, the Surveyor Discovered That the Provider's Assistant (DOH: 11/30/23) (1), and 922 KAR 2:100 - Section 19. Records.

(1) A Provider Shall Maintain:

(b) A Written Record for Each child:

1. Completed and Signed by the Child's parent;

2. Retained on File on the First Day the Child Attends the Family Child-care Home; and

3. To Contain:

a. Identifying Information About the Child, Which Includes, at Minimum, the Child's Name, Address, and Date of Birth;

b. Contact Information to Enable the Provider to Contact the Child's:

(i) Parent at the Parent's Home or Place of Employment;

(i (1). None of the 3 findings were critical.

Inspection Visits

Apr 15, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.**
 - (2) A Sink Shall Be:**
 - (a) Located Near or in Close Proximity to Toilets;**
 - (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
 - (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
 - (d) Equipped with Liquid Soap and Single Use, Disposable Hand Drying Material;**
 - (e) Equipped with an Easily Cleanable, Covered Waste Receptacle; And**
 - (f) Near or In**
- 420 - Sink

Jan 29, 2024 2 Findings ● 2 Important

- **922 KAR 2:100 - Section 2. Certification Process.**
 - (5) An Adult Living in the Home of the Applicant, Present During the Hours of Operation, or Having Unsupervised Contact with a Child in Care, and The applicant's Assistant Shall:**
 - (b) Submit a Copy of Negative Tuberculin Results or a Health Professional's Statement Documenting That the Adult Is Free of Active tuberculosis.**
- Findings:**
General: Based on Interview with the Provider, the Surveyor Discovered That the Provider's Assistant (DOH: 11/30/23)
- 250 - Adult in home/Assistant TB

- **922 KAR 2:100 - Section 19. Records.**
 - (1) A Provider Shall Maintain:**
 - (b) A Written Record for Each child:**
 - 1. Completed and Signed by the Child's parent;**
 - 2. Retained on File on the First Day the Child Attends the Family Child-care Home; and**
 - 3. To Contain:**
 - a. Identifying Information About the Child, Which Includes, at Minimum, the Child's Name, Address, and Date of Birth;**
 - b. Contact Information to Enable the Provider to Contact the Child's:**
 - (i) Parent at the Parent's Home or Place of Employment;**
 - (i**
- 735 - Children's information

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.