

# iKids Childhood Enrichment Center

1471 U. S. Highway 68 West  
Benton, KY

## 2 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: May 28, 2024

● 6 Important

Across 2 inspections since 2024, the issues cited most often were 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;
- (d) Equipped with Liquid Soap;
- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;
- (f) Equipped with an Easily Clea (2), 922 KAR 2:120. Section 4. Premises Requirements.

(1) The Premises Shall Be:

- (a) Suitable for the Purpose Intended;
- (b) Kept Clean and in Good repair;

Findings:

General: Based on Observation, an Accumulation of Dust Was on the Vent Above the Door in Preschool 2 Room. (1), and 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(4) Each Toilet Shall:

- (a) Be Kept in Clean Condition;
- (b) Be Kept in Good Repair;
- (c) Be in a Lighted Room; And
- (d) Have Ventilation to Outside air.

Findings:

General: Based on Observation, Urine and Toilet Paper Were Observed in the Toilet of the Preschool 4 room.

Hygienic Practices In Compliance

First Aid/Medication In Compliance

Outdoor Play Area In Compliance

Equipment Not In Compliance (1). None of the 6 findings were critical.

## Inspection Visits

**May 28, 2024** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**
  - (3) A Sink Shall Be:**
    - (a) Located in or Immediately Adjacent to Toilet Rooms;**
    - (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
    - (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
    - (d) Equipped with Liquid Soap;**
    - (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**
    - (f) Equipped with an Easily Clea**

690 - Sink

**Apr 8, 2024** 5 Findings ● 5 Important

- **922 KAR 2:120. Section 4. Premises Requirements.**
  - (1) The Premises Shall Be:**
    - (a) Suitable for the Purpose Intended;**
    - (b) Kept Clean and in Good repair;**

**Findings:**  
**General: Based on Observation, an Accumulation of Dust Was on the Vent Above the Door in Preschool 2 Room.**

585 - Premises Requirements

- **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**
  - (3) A Sink Shall Be:**
    - (a) Located in or Immediately Adjacent to Toilet Rooms;**
    - (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
    - (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
    - (d) Equipped with Liquid Soap;**
    - (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**
    - (f) Equipped with an Easily Clea**

690 - Sink

#### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

**(4) Each Toilet Shall:**

- (a) Be Kept in Clean Condition;**
- (b) Be Kept in Good Repair;**
- (c) Be in a Lighted Room; And**
- (d) Have Ventilation to Outside air.**

**Findings:**

**General: Based on Observation, Urine and Toilet Paper Were Observed in the Toilet of the Preschool 4 room.**

**Hygienic Practices In Compliance**

**First Aid/Medication In Compliance**

**Outdoor Play Area In Compliance**

**Equipment Not In Compliance**

695 - Toilet

● **922 KAR 2:120. Section 6. Sleeping and Napping Requirements.**

**(3) Rest Time Shall Occur in an Adequate Space According to the Child's Age as Follows:**

**(b) For a Toddler or Preschool-age child:**

- 1. An Individual Bed, a Two (2) Inch Thick Waterproof Mat, or Cot in Good Repair; and**
- 2. Bedding That Is in Good Repair and Is Changed:**

**a. Weekly; Or**

**b. Immediately if It Is Soiled or wet.**

**Findings:**

**General: Based on Observation, the Blue Woven Surface Was Torn Away From the White Base of Six (6) Cots in The**

840 - Individual Bed/Mat/Cot and Bedding

● **922 KAR 2:120. Section 13. Toys and Furnishings.**

**(1) All Toys and Furniture Contacted by a Child Shall Be:**

- (a) Kept Clean and in Good Repair; And**
- (b) Free of Peeling, Flaking, or Chalking paint.**

**Findings:**

**General: Based on Observation, the Following Was found:**

**1) A Tear, Which Exposed Foam, Was on the Lower Left Arm of a Child Size Blue Couch in the Preschool 5 room.**

**2) Multiple Stains Were on a Tan Pillow and a Blue Pillow in the Reading Area of the Preschool 3 room.**

**Transportation In Compliance**

860 - Toys/Furniture

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.