

Wee Care FYK

455 East Maxwell Street
Lexington, KY

2 Inspection Visits Since 2024 - 8 Findings

Most recent inspection: Dec 9, 2025

● 8 Important

Across 2 inspections since 2024, the issues cited most often were 922 KAR 2:280. Section 11. Status of Employment. (1) A Child Care Provider Shall Maintain the Employment or Residential Status of Each Child Care Staff Member Who Has Submitted to a Fingerprint-based Criminal Background Check by Reporting the Status Using the NBCP Web-based system.

Findings:

General: Based on Interview and Review of Documentation, the Childcare Center Did Not Maintain the Current Status for Each Employee on the KARES Employee Report. Specifically, there Were Nineteen (19) Emplo (1), 922 KAR 2:120. Section 4. Premises Requirements.

(5) The Building Shall Be Constructed to Ensure The:

(a) Building is:

1. Dry;
2. Ventilated; and
3. Well Lit, Including Clean Light Fixtures That Are:
 - a. In Good Repair in All Areas; And
 - b. Shielded or Have Shatter-proof Bulbs Installed; And

(b) Following Are protected:

1. Windows;
2. Doors;
3. Stoves;
4. Heaters;
5. Furnaces;
6. Pipes; and
7. Stairs.

Findings:

General: Based on Observation, the Following Was found:

1) In the Pre-K Classroom, Ther (1), and 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;
- (d) Equipped with Liquid Soap;

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;
- (f) Equipped with an Easily Clea (1). None of the 8 findings were critical.

Inspection Visits

Dec 9, 2025 6 Findings ● 6 Important

● **922 KAR 2:120. Section 8. Kitchen Requirements.**

(5) Frozen Food Shall Be:

(a) Kept at a Temperature of Zero Degrees Fahrenheit or Below; And

(b) Thawed:

- 1. At Refrigerator temperatures;**
- 2. Under Cool, Potable Running water;**
- 3. As Part of the Cooking Process; or**
- 4. By Another Method in Accordance with the Department for Public Health's Food Safety Standards and Permits, Established in KRS Chapter 217.**

Findings:

General: Based on Observation, the Following Was found:

1) In the Pre-K Classroom, The

1045 - Frozen Food

● **922 KAR 2:090. Section 9. Records.**

(1) A Child-care Center Shall Maintain:

(b) A Written Record for Each child:

- 1. Completed and Signed by the Child's parent;**
- 2. Retained on File on the First Day the Child Attends the Child-care Center; and**
- 3. To Contain:**
 - a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;**
 - b. Contact Information to Enable a Person in Charge to Contact the Child's:**
 - (i) Parent at the Parent's Home or Place of Empl**

1250 - Enrollment Information

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 4. Premises Requirements.**

(5) The Building Shall Be Constructed to Ensure The:

(a) Building is:

1. Dry;
2. Ventilated; and
3. Well Lit, Including Clean Light Fixtures That Are:
 - a. In Good Repair in All Areas; And
 - b. Shielded or Have Shatter-proof Bulbs Installed; And

(b) Following Are protected:

1. Windows;
2. Doors;
3. Stoves;
4. Heaters;
5. Furnaces;
6. Pipes; and
7. Stairs.

Findings:

General: Based on Observation, the Following Was found:

1) In the Pre-K Classroom, Ther

605 - Building Requirements

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;
- (d) Equipped with Liquid Soap;
- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;
- (f) Equipped with an Easily Clea

690 - Sink

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(4) Each Toilet Shall:

- (a) Be Kept in Clean Condition;
- (b) Be Kept in Good Repair;
- (c) Be in a Lighted Room; And
- (d) Have Ventilation to Outside air.

Findings:

General: Based on Observation, in the Hallway Bathroom, Located Near the Four-Year-Old Classroom, There Was Urine and Toilet Paper Inside the Toilet From Not Being Flushed after use.

Hygienic Practices In Compliance

695 - Toilet

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:280. Section 11. Status of Employment.**
(1) A Child Care Provider Shall Maintain the Employment or Residential Status of Each Child Care Staff Member Who Has Submitted to a Fingerprint-based Criminal Background Check by Reporting the Status Using the NBCP Web-based system.
Findings:
General: Based on Interview and Review of Documentation, the Childcare Center Did Not Maintain the Current Status for Each Employee on the KARES Employee Report. Specifically, there Were Nineteen (19) Emplo
85 - Employment Status

Jan 3, 2024 2 Findings ● 2 Important

- **922 KAR 2:120. Section 8. Kitchen Requirements.**
(7) The Following Shall Be Clean and Sanitary:
(a) Eating and Drinking Utensils;
(b) Kitchenware;
(c) Food Contact Surfaces of Equipment;
(d) Food Storage Utensils;
(e) Food Storage Containers;
(f) Cooking Surfaces of Equipment; And
(g) Nonfood Contact Surfaces of equipment.
Findings:
General: Based on Observation, the Older Infant Room Contained a Black Crock Pot with a White Residue Inside the unit.
Food Service In Compliance
Meal Planning/Center
1055 - Kitchen Equipment Clean and Sanitary

- **922 KAR 2:090. Section 11. Staff Requirements.**
(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:
(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program;
(b) Nine (9) Hours of Cabinet-approved Early Care and Education Training Within the First Year of Employment in a Child Care Program, Including One and One-half (1 ½) Hours of Cabinet-a
435 - Training

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.