

Gan Shalom Preschool

2048 Edgewater Court
Lexington, KY

2 Inspection Visits Since 2025 - 7 Findings

Most recent inspection: Nov 4, 2025

● 7 Important

Across 2 inspections since 2025, the issues cited most often were 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(10) If a Child Is Diapered, the Child Shall:

(a) Not Be Left unattended;

Findings:

General: Based on Observation, It Was Found Through Observation of Video Footage That a Child Was Left Unattended on a Diaper Changing Table When the Classroom Teacher Went To separate Two (2) Other Children in the Room. The Child on the Changing Table Could Be Seen Shifting Into a Sitting Position From the Original Position of Lying Down On (1), 922 KAR 2:090. Section 8. General.

(1) A Licensee Shall:

(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And

(b) Protect and Ensure the Health, Safety, and Comfort of Each child.

Findings:

General: Based on Observation, Interview, and Review of Documentation, It Was Found That a Teacher Inappropriately Handled a One-year-old Child by the Wrists and Got Into the child's face.

Signature of Provider/Represent (1), and 922 KAR 2:120. Section 3. General Requirements.

(7) The Following Shall Be Inaccessible to a Child in Care:

(a) Toxic Cleaning Supplies, Poisons, and Insecticides;

(b) Matches, Cigarettes, Lighters, and Flammable Liquids; And

(c) Personal Belongings and Medications of staff.

Findings:

General: Based on Observation and Interview, There Was a Teacher's Cell Phone Accessible to the Children in Care Within the Early Preschool Classroom. The Cell Phone Was Located on the Edge of the Countertop in The (1). None of the 7 findings were critical.

Inspection Visits

Nov 4, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(10) If a Child Is Diapered, the Child Shall:

(a) Not Be Left unattended;

Findings:

General: Based on Observation, It Was Found Through Observation of Video Footage That a Child Was Left Unattended on a Diaper Changing Table When the Classroom Teacher Went To separate Two (2) Other Children in the Room. The Child on the Changing Table Could Be Seen Shifting Into a Sitting Position From the Original Position of Lying Down On

110 - Supervision During Diapering

● **922 KAR 2:090. Section 8. General.**

(1) A Licensee Shall:

(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And

(b) Protect and Ensure the Health, Safety, and Comfort of Each child.

Findings:

General: Based on Observation, Interview, and Review of Documentation, It Was Found That a Teacher Inappropriately Handled a One-year-old Child by the Wrists and Got Into the child's face.

Signature of Provider/Representative

225 - Licensee Responsibility

Nov 3, 2025 5 Findings ● 5 Important

● **922 KAR 2:120. Section 3. General Requirements.**

(12) A Fire Drill Shall Be:

(a) Conducted During Hours of Operation at Least Monthly; And

(b) Documented, Detailing the Date and time.

(13) An Earthquake Drill, Shelter-in-place Drill, Lockdown Drill, and Tornado Drill Shall Be:

(a) Conducted During Hours of Operation at Least Quarterly; And

(b) Documented, Detailing the Date and time.

Findings:

General: Based on Review of Documentation, There Was No Written Evidence of Shelter-in-place Drills on F

1305 - Monthly Fire, Quarterly Earthquake/Shelter-in-place/Tornado Drills

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 3. General Requirements.**
(7) The Following Shall Be Inaccessible to a Child in Care:
(a) Toxic Cleaning Supplies, Poisons, and Insecticides;
(b) Matches, Cigarettes, Lighters, and Flammable Liquids; And
(c) Personal Belongings and Medications of staff.

Findings:

General: Based on Observation and Interview, There Was a Teacher's Cell Phone Accessible to the Children in Care Within the Early Preschool Classroom. The Cell Phone Was Located on the Edge of the Countertop in The

565 - Inaccessible Items

- **922 KAR 2:120. Section 4. Premises Requirements.**
(9) Floors, Walls, and Ceilings Shall Be Smooth, in Good Repair, and Constructed to Be Easily cleaned.

Findings:

General: Based on Observation, the Toddler #1 Classroom Contained Two (2) Stained Ceiling Tiles. These Were Located in the Middle of the Classroom.

625 - Floors, Walls, Ceilings

- **922 KAR 2:120. Section 13. Toys and Furnishings.**
(1) All Toys and Furniture Contacted by a Child Shall Be:
(a) Kept Clean and in Good Repair; And
(b) Free of Peeling, Flaking, or Chalking paint.

Findings:

General: Based on Observation, There Was a Gray Step Stool Within the Toddler #1 Classroom That Had Begun to Accumulate Dirt and grime.

An Equal Opportunity Employer M/F/D

@chfsky

860 - Toys/Furniture

CHFS.KY.GOV

- **922 KAR 2:120. Section 13. Toys and Furnishings.**
(2) Indoor and Outdoor Equipment Shall:
(a) Be Clean, Safe, and in Good Repair;
(b) Meet the Physical, Developmental Needs, and Interests of Children of Different Age Groups;
(c) Be Free From Sharp Points or Corners, Splinters, Protruding Nails or Bolts, Loose or Rusty Parts, Hazardous Small Parts, Lead-based Paint, poisonous Material, and Flaking or Chalking Paint; And
(d) Be Designed to Guard Against Entrapment or Situations That May Cause Stran

865 - Indoor/Outdoor Equipment

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.