

Cummin's Daycare

1119 Pendleton Road
Pendleton, KY

3 Inspection Visits Since 2023 · 13 Findings

Most recent inspection: Jun 11, 2024

● 13 Important

Across 3 inspections since 2023, the issues cited most often were 922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.

(24) A Family Child-care Home Shall:

- (a) Be Clean;
- (b) Be Uncluttered;
- (c) Be Free of Insects and rodents;

Findings:

General: Based on Observation, the Ceiling in the Playroom Had Excessive Dust on the Outer Surface. (2), 922 KAR 2:100 - Section 19. Records.

(1) A Provider Shall Maintain:

(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The

child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.034;

Findings:

General: Based on Review of Documentation, One (1) Child (DOE 01/18/20) Did Not Have an Up-to-date Record of Immunizations on File at the Time of Inspection. The Document on File expired 09/1 (2), and 922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.

(1) A Provider's Home and Each Play Area Used for Child Care Shall:

(b) Have adequate:

1. Heating and cooling;
2. Light; and
3. Ventilation.

Findings:

General: Based on Observation, the Overhead Light Above the Kitchen Sink Was Not Shielded; Therefore, the Light Bulb Was Exposed. It Should Be Noted, the Plan of Correction Submitted

to the Cabinet Stated That the Light Had Been covered.

Signature of Pr (2). None of the 13 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

Jun 11, 2024 7 Findings ● 7 Important

- **922 KAR 2:100 - Section 13. Care Requirements for a Provider.**
(1) A Provider Shall Ensure the Health, Safety, and Comfort of Each child.
Findings:
General: Based on Observation, the Sleeping Mats Were Being Stored in a Crib in the Playroom with the Sheets and Blankets Still Attached Without a Barrier between.
Provider Requirements Not In Compliance
160 - Health, safety and comfort
- **922 KAR 2:100 - Section 20. Certified Family Child-Care Home Program.**
The Certified Family Child-care Home Provider shall:
(9) Coordinate at Least One (1) Annual Activity Involving Parental or Family participation;
Findings:
General: Based on Interview and Review of Documentation, There Was No Evidence on File at the Facility of Any Family Involvement Activities Being Conducted During the Current licensure year.
Provider Records In Compliance
Programming In Compliance
An Equal Opportunity Employ
235 - Parent/Family Activity
- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(3) The Areas of the Home That Are Accessible to Children in Care Shall Be Free From Items Harmful to Children Including:
(a) Cleaning Supplies, Poisons, Paints, and Insecticides;
(b) Knives, Scissors, and Sharp Objects;
(c) Power Tools, Lawn Mowers, Hand Tools, Nails, and Other Equipment;
(d) Matches, Cigarettes, Lighters, Combustibles, Flammable Liquids, and All Fire Hazards;
(e) Plastic Bags; And
(
345 - Harmful Items Inaccessible
- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(24) A Family Child-care Home Shall:
(a) Be Clean;
(b) Be Uncluttered;
(c) Be Free of Insects and rodents;
Findings:
General: Based on Observation, the Ceiling in the Playroom Had Excessive Dust on the Outer Surface.
390 - Condition of Home

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.**

(2) A Sink Shall Be:

(a) Located Near or in Close Proximity to Toilets;

(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;

(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;

(d) Equipped with Liquid Soap and Single Use, Disposable Hand Drying Material;

(e) Equipped with an Easily Cleanable, Covered Waste Receptacle; And

(f) Near or In

420 - Sink

● **922 KAR 2:100 - Section 19. Records.**

(1) A Provider Shall Maintain:

(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.034;

Findings:

General: Based on Review of Documentation, One (1) Child (DOE 01/18/20) Did Not Have an Up-to-date Record of Immunizations on File at the Time of Inspection. The Document on File expired 09/1

730 - Immunization

● **922 KAR 2:100 - Section 19. Records.**

(7)(a) A Certified Family Child-care Home Provider Shall Have a Written Evacuation Plan in the Event of Fire, Natural Disaster, or Other Threatening situation That May Pose a Health or Safety Hazard to a Child in Care in Accordance with KRS 199.895.

Findings:

General: Based on Observation, There Was No Evidence That the Evacuation Plan Had Been Updated or Submitted to the Proper Authority for review.

An Equal Opportunity Employer M/F/D

@chfsky

795 - Evacuation Plan Records

CHFS.KY.GOV

Feb 23, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(1) A Provider's Home and Each Play Area Used for Child Care Shall:

(b) Have adequate:

- 1. Heating and cooling;**
- 2. Light; and**
- 3. Ventilation.**

Findings:

General: Based on Observation, the Overhead Light Above the Kitchen Sink Was Not Shielded; Therefore, the Light Bulb Was Exposed. It Should Be Noted, the Plan of Correction Submitted to the Cabinet Stated That the Light Had Been covered.

Signature of Pr

335 - Heat/Cool/Light/Ventilation

Dec 7, 2023 5 Findings ● 5 Important

- **922 KAR 2:100 - Section 10. Standards for the Provider.**

(1)(a) Between July 1 and June 30 of the Following Calendar Year, a Provider Shall Complete at Least Nine (9) Hours of Cabinet-approved Early Care and Education Training Beginning with the Second Year of Operation, Including One and One-half (1½) Hours of Cabinet-approved Pediatric Abusive head Trauma Training in Accordance with KRS 199.8982(2) to Be completed:

- 1. Within the Second Year of Employment or Operation in Child Care; and**
- 2. Every**

265 - Provider Training Requirements

- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(1) A Provider's Home and Each Play Area Used for Child Care Shall:

(a) Be Free From Risk of Harm in Accordance with the Requirements of This Administrative regulation;
Findings:

General: Based on Observation, tv/DVD Cords in Child's Play Area Were Hanging Down Within Reach of Children in Care. It Should Be Noted That at the Time of the Survey, Children Were playing Around the cords.

An Equal Opportun

330 - Free from risk of harm

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(1) A Provider's Home and Each Play Area Used for Child Care Shall:
(b) Have adequate:
 1. Heating and cooling;
 2. Light; and
 3. Ventilation.**Findings:**
General: Based on Observation, the Light in Kitchen Above the Sink Did Not Have a Light Cover. It Should Be Noted the Bulb Was Not Shatter Proof.
335 - Heat/Cool/Light/Ventilation
- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(21) A Family Child-care Home Shall:
(a) Be Clean;
(b) Be Uncluttered;
(c) Be Free of Insects and rodents;
Findings:
General: Based on Observation, the Following Was Found During the survey:
1) Peeling Paint Was Below the Window Seal in the Children's Play Area. Areas Should Be in Good Repair and Free From Peeling Paint Where Chipping Paint Is Available to children.
2) The Kitchen Sink Used for Food P
390 - Condition of Home
- **922 KAR 2:100 - Section 19. Records.**
(1) A Provider Shall Maintain:
(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The
child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.036;
Findings:
General: Based on Review of Documentation, One (1) Child Had Expired Immunization Records at the Time of the survey.
Written Documentation In Compliance
Posted/Available Documentation In Comp
730 - Immunization

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.