

# Walton Learning Center

121 Brookwood Drive  
Walton, KY

## 4 Inspection Visits Since 2023 - 12 Findings

Most recent inspection: Jun 23, 2025

● 12 Important

Across 4 inspections since 2023, the issues cited most often were 922 KAR 2:120. Section 2. Child Care Services.

(3)(a) Each Center Shall Maintain a Child-care Program That Ensures Each Child Shall be:

1. Provided with Adequate Supervision at All Times by a Qualified Staff Person Who Ensures the Child Is:

a. Within Scope of Vision and Range of Voice;

b. For a School-age Child, Within Scope of Vision or Range of Voice; And

c. Accounted for During Movement From One (1) Location to Another Using Name-to-face Recognition by Visually Identifying Each child;

Finding (2), 922 KAR 2:120. Section 4. Premises Requirements.

(5) The Building Shall Be Constructed to Ensure The:

(a) Building is:

1. Dry;

2. Ventilated; and

3. Well Lit, Including Clean Light Fixtures That Are:

a. In Good Repair in All Areas; And

b. Shielded or Have Shatter-proof Bulbs Installed; And

(b) Following Are protected:

1. Windows;

2. Doors;

3. Stoves;

4. Heaters;

5. Furnaces;

6. Pipes; and

7. Stairs.

Findings:

General: Based on Observation, the Window in the School-Age Classroom Opens Easily For (2), and 922 KAR 2:090. Section 8. General.

(1) A Licensee Shall:

(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And

(b) Protect and Assure the Health, Safety, and Comfort of Each child.

Findings:

General: Based on Observation, the Sleeping Mats Were Being Stored on a Wall Shelf in the Blue Classroom; However,

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

Were Hanging Off Because They Were Too Long for the Shelf. This method of Storage Posed a Safety Hazard (2). None of the 12 findings were critical.

## Inspection Visits

**Jun 23, 2025** 2 Findings ● 2 Important

- **922 KAR 2:120. Section 4. Premises Requirements.**  
**(5) The Building Shall Be Constructed to Ensure The:**  
**(a) Building is:**
  1. Dry;
  2. Ventilated; and
  3. Well Lit, Including Clean Light Fixtures That Are:
    - a. In Good Repair in All Areas; And
    - b. Shielded or Have Shatter-proof Bulbs Installed; And**(b) Following Are protected:**
  1. Windows;
  2. Doors;
  3. Stoves;
  4. Heaters;
  5. Furnaces;
  6. Pipes; and
  7. Stairs.

**Findings:**

**General: Based on Observation, the Window in the School-Age Classroom Opens Easily For**  
605 - Building Requirements

- **922 KAR 2:120. Section 2. Child Care Services.**  
**(3)(a) Each Center Shall Maintain a Child-care Program That Ensures Each Child Shall be:**
  1. Provided with Adequate Supervision at All Times by a Qualified Staff Person Who Ensures the Child Is:
    - a. Within Scope of Vision and Range of Voice;
    - b. For a School-age Child, Within Scope of Vision or Range of Voice; And
    - c. Accounted for During Movement From One (1) Location to Another Using Name-to-face Recognition by Visually Identifying Each child;

**Finding**

90 - Children Supervised

**Dec 16, 2024** 5 Findings ● 5 Important

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 8. Kitchen Requirements.**

**(4) A Cold-storage Facility Used for Storage of Perishable Food in a Nonfrozen State Shall:**

**(a) Have an Indicating Thermometer or Other Appropriate Temperature Measuring Device;**

**(b) Be in a Safe Environment for Preservation; And**

**(c) Be Forty (40) Degrees Fahrenheit or below.**

**Findings:**

**General: Based on Observation, the Refrigerator Did Not Have an Indicating Thermometer to Measure the Internal Temperature.**

1040 - Refrigerator

● **922 KAR 2:090. Section 8. General.**

**(1) A Licensee Shall:**

**(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And**

**(b) Protect and Assure the Health, Safety, and Comfort of Each child.**

**Findings:**

**General: Based on Observation, the Sleeping Mats Were Being Stored on a Wall Shelf in the Blue Classroom; However, Were Hanging Off Because They Were Too Long for the Shelf. This method of Storage Posed a Safety Hazard**

225 - Licensee Responsibility

● **922 KAR 2:090. Section 11. Staff Requirements.**

**(1) Child-care Center Staff:**

**(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:**

**1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or**

**2. A Copy of Negative Tuberculin results.**

**Findings:**

**General: Based on Review of Documentation, the Following Was Found During the inspection:**

**1) One (1) Staff Member (DOH: 10/15/23) Had TB Results on File at the Facility; However, the Results Didn't Ha**

405 - TB Verification

● **922 KAR 2:090. Section 11. Staff Requirements.**

**(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:**

**(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program;**

**(b) Nine (9) Hours of Cabinet-approved Early Care and Education Training Within the First Year of Employment in a Child Care Program, Including One and One-half (1 ½) Hours of Cabinet-a**

435 - Training

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 4. Premises Requirements.**  
**(5) The Building Shall Be Constructed to Ensure The:**  
**(a) Building is:**
  1. Dry;
  2. Ventilated; and
  3. Well Lit, Including Clean Light Fixtures That Are:
    - a. In Good Repair in All Areas; And
    - b. Shielded or Have Shatter-proof Bulbs Installed; And**(b) Following Are protected:**
  1. Windows;
  2. Doors;
  3. Stoves;
  4. Heaters;
  5. Furnaces;
  6. Pipes; and
  7. Stairs.

**Findings:**

**General: Based on Observation, One (1) Ceiling Light in the Blue Classroom Was Not Work**

605 - Building Requirements

**Feb 12, 2024** 1 Finding ● 1 Important

- **922 KAR 2:090. Section 8. General.**  
**(6) In Addition to the Posting Requirement of KRS 199.898(3), a Child-care Center Shall Post the Following in a Conspicuous Place and Make available for Public Inspection:**
  - (a) The Provider's Preliminary or Regular License;**
  - (b) Each Statement of Deficiency and Civil Penalty Notice Issued by the Cabinet During the Current Licensure Year;**
  - (c) Each Plan of Correction Submitted by the Child-care Center to the Cabinet During the Current Licensure Year;**
  - (d) Informatio**

1310 - Posting Requirements

**Dec 5, 2023** 4 Findings ● 4 Important

#### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:090. Section 8. General.**

**(1) A Licensee Shall:**

**(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And**

**(b) Protect and Assure the Health, Safety, and Comfort of Each child.**

**Findings:**

**General: Based on Observation in the Purple Classroom at 10:09 Am, the Surveyor Found the Cord From a Wall-mounted Television Hanging Down the Wall Behind a Little Tikes Pretend washing Machine Within the Children's Pla**

225 - Licensee Responsibility

- **922 KAR 2:120. Section 2. Child Care Services.**

**(4) The Child-care Center Shall Provide a Daily Planned Program:**

**(a) Posted in Writing in a Conspicuous Location with Each Age Group and Followed;**

**(b) Of Activities That Are Individualized and Developmentally Appropriate for Each Child Served;**

**(c) That Provides Experience to Promote the Individual Child's Physical, Emotional, Social, and Intellectual Growth and Well-being; And**

**(d) Unless the Child-care Center Is a Before- or After-school Program Tha**

455 - Program of Activities Followed

- **922 KAR 2:120. Section 3. General Requirements.**

**(1) Screen Time, Electronic Viewing and Listening Devices Shall Only Be Used in the Center as a Part of the Child's Planned Program of Activity As**

**established in Section 2(4) and (5) of This Administrative regulation.**

**Findings:**

**General: Based on Observation in the Purple Classroom at 10:09 Am, the Surveyor Found a YouTube Children's Program by the Name of Danny Go Playing on the Television. The surveyor Observed One (1) Child Sitting on the Floor,**

500 - Electronic Viewing/Listening Planned Program

- **922 KAR 2:120. Section 2. Child Care Services.**

**(3)(a) Each Center Shall Maintain a Child-care Program That Assures Each Child Shall be:**

**1. Provided with Adequate Supervision at All Times by a Qualified Staff Person Who Ensures the Child Is:**

**a. Within Scope of Vision and Range of Voice; Or**

**b. For a School-age Child, Within Scope of Vision or Range of voice;**

**Findings:**

**General: Based on Observation and Interview, Adequate Supervision Was Not maintained.**

**Upon Arrival at 10:09 Am, the Surveyor Observ**

90 - Children Supervised

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.