

Busy Beez Learning Center

209 North 4th Street
Williamsburg, KY

3 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: Feb 2, 2026

● 6 Important

Across 3 inspections since 2024, the issues cited most often were 922 KAR 2:090. Section 11. Staff Requirements.

(1) Child-care Center Staff:

(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:

1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or
2. A Copy of Negative Tuberculin results.

Findings:

General: Based on Review of Documentation, the Surveyor Found That One (1) Staff's (DOH: 12/21/23) File Contained a Tuberculin (TB) Skin Test Dated 12/21/23; Therefore, the Surveyor was Unable to Veri (1), 922 KAR 2:090. Section 11. Staff Requirements.

(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:

(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program Covering The following topics:

1. Federal Minimum Health and Safety Requirements Established in 45 C.F.R. 98.41 Related To:
 - a. Prevention and Control of Infectious Diseases, Including Im (1), and 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.
- (3) A Sink Shall Be:
 - (a) Located in or Immediately Adjacent to Toilet Rooms;
 - (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;
 - (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;
 - (d) Equipped with Liquid Soap;
 - (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;
 - (f) Equipped with an Easily Clea (1). None of the 6 findings were critical.

Inspection Visits

Feb 2, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 11. Staff Requirements.**

(1) Child-care Center Staff:

(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:

- 1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or**
- 2. A Copy of Negative Tuberculin results.**

Findings:

General: Based on Review of Documentation, the Surveyor Found That One (1) Staff's (DOH: 12/21/23) File Contained a Tuberculin (TB) Skin Test Dated 12/21/23; Therefore, the Surveyor was Unable to Veri

405 - TB Verification

Apr 24, 2025 1 Finding ● 1 Important

● **922 KAR 2:090. Section 11. Staff Requirements.**

(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:

(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program Covering The following topics:

- 1. Federal Minimum Health and Safety Requirements Established in 45 C.F.R. 98.41 Related To:**
 - a. Prevention and Control of Infectious Diseases, Including Im**

435 - Training

Feb 29, 2024 4 Findings ● 4 Important

● **922 KAR 2:090. Section 9. Records.**

(1) A Child-care Center Shall Maintain:

(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.036;

Findings:

General: Based on Review of Documentation, the Surveyor Found the following:

- 1. A Child's (DOE: 07/18/22) File Did Not Contain an Immunization certificate.**
- 2. A Child's (DOE: 11/29/23)**

1245 - Immunization

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;**
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
- (d) Equipped with Liquid Soap;**
- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**
- (f) Equipped with an Easily Clea**

690 - Sink

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(4) Each Toilet Shall:

- (a) Be Kept in Clean Condition;**
- (b) Be Kept in Good Repair;**
- (c) Be in a Lighted Room; And**
- (d) Have Ventilation to Outside air.**

Findings:

General: Based on Observation, the Surveyor Found That the Toilet Seat Moved Easily and Was Not Tightly Secured to the Toilet in the School Age Classroom's Restroom; Therefore, The toilet Was Not Kept in Good repair.

Hygienic Practices Not In Compliance

695 - Toilet

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(10) When a Child Is Diapered, the Child Shall:

(b) Be Placed on a Surface That is:

- 1. Clean;**
- 2. Padded;**
- 3. Free of Holes, Rips, Tears, or Other damage;**
- 4. Nonabsorbent;**
- 5. Easily Cleaned; and**
- 6. Free of Any Items Not Used for Diaper changing.**

Findings:

General: Based on Observation, the Surveyor Found the following:

- 1. During the Initial Walk Through of the One's Classroom, the Surveyor Observed a Staff Member Changing a C**

730 - Diaper Changing Area/Surface

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.