
Itsy Bitsy Acres Daycare

2185 Mt. Sterling Rd.

Winchester, KY

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Jan 23, 2026

● 4 Important

Across 3 inspections since 2023, the issues cited most often were 922 KAR 2:090. Section 11. Staff Requirements. (16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:

(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program Covering The following topics:

1. Federal Minimum Health and Safety Requirements Established in 45 C.F.R. 98.41 Related To:

a. Prevention and Control of Infectious Diseases, Including Im (1), 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(4) Each Toilet Shall:

(a) Be Kept in Clean Condition;

(b) Be Kept in Good Repair;

(c) Be in a Lighted Room; And

(d) Have Ventilation to Outside air.

Findings:

General: Based on Observation, the Surveyor Found That the Toilet Seat Moved Easily and Was Not Tightly Secured to the Toilet That Was Located in the Restroom; Therefore, the Toilet Was not Kept in Good repair.

Hygienic Practices In Compliance

First Aid/Medication In (1), and 922 KAR 2:120. Section 4. Premises Requirements.

(20) An Outdoor Play Area Shall Be:

(d) Safe From Foreseeable Hazard;

(e) Well Drained;

(f) Well Maintained;

(g) In Good Repair; And

(h) Visible to Staff at All times.

Findings:

General: Based on Observation, Six (6) Metal Spikes Used to Connect Plastic Edging Around the Outdoor Play Equipment Were Protruding Above the Edge of the Plastic Edging. This

poses a Tripping Hazard for the Children in Care. In Addition, a Green and White Pipe Used to Cap (1). None of the 4 findings were critical.

Inspection Visits

Jan 23, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:090. Section 11. Staff Requirements.**
(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:
(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program Covering The following topics:
1. Federal Minimum Health and Safety Requirements Established in 45 C.F.R. 98.41 Related To:
a. Prevention and Control of Infectious Diseases, Including Im
435 - Training

Aug 12, 2025 1 Finding ● 1 Important

- **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**
(4) Each Toilet Shall:
(a) Be Kept in Clean Condition;
(b) Be Kept in Good Repair;
(c) Be in a Lighted Room; And
(d) Have Ventilation to Outside air.
Findings:
General: Based on Observation, the Surveyor Found That the Toilet Seat Moved Easily and Was Not Tightly Secured to the Toilet That Was Located in the Restroom; Therefore, the Toilet Was not Kept in Good repair.
Hygienic Practices In Compliance
First Aid/Medication In
695 - Toilet

Oct 10, 2023 2 Findings ● 2 Important

- **922 KAR 2:120. Section 9. Food and Drink Requirements for All Child-Care Centers.**
(3) A Serving of Milk Shall Consist Of:
(a) Breast Milk or Iron-fortified Formula for a child:
1. Age Birth to Twelve (12) Months; or
2. Beyond Twelve (12) Months of Age as Documented by the Parent or the Child's Physician;
(b) Pasteurized Unflavored Whole Milk for Children Ages Twelve (12) Months to Twenty-four (24) Months; Or
(c) Pasteurized Unflavored Low Fat One (1) Percent or Fat-free Skim Milk for Children Ag
1095 - Milk Requirements

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 4. Premises Requirements.**

(20) An Outdoor Play Area Shall Be:

(d) Safe From Foreseeable Hazard;

(e) Well Drained;

(f) Well Maintained;

(g) In Good Repair; And

(h) Visible to Staff at All times.

Findings:

General: Based on Observation, Six (6) Metal Spikes Used to Connect Plastic Edging Around the Outdoor Play Equipment Were Protruding Above the Edge of the Plastic Edging. This poses a Tripping Hazard for the Children in Care. In Addition, a Green and White Pipe Used to Cap

795 - Playground Conditions

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.