

## Tiny Town Daycare

6574 Hwy 38  
Evarts, KY

### 2 Inspection Visits Since 2024 · 11 Findings

Most recent inspection: Nov 24, 2025

#### ● 11 Important

Across 2 inspections since 2024, the issues cited most often were 922 KAR 2:090. Section 8. General.

(1) A Licensee Shall:

(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And

(b) Protect and Ensure the Health, Safety, and Comfort of Each child.

Findings:

General: Based on Observation, the Surveyor Found an Electrical Outlet Located in the Preschool Classroom That Had a Corner of the Plastic Covering Broken; Therefore, the Health, safety and Comfort of the Children Was C (1), 922 KAR 2:090. Section 11. Staff Requirements.

(6) Child-care Centers Shall Have Available if Needed:

(a) One (1) Qualified Substitute Staff Person for a Type II Child-care Center; Or

(b) Two (2) Qualified Substitute Staff Persons for a Type I Child-care center.

(7) Each Qualified Substitute Staff Person Shall:

(a) Meet the Staff Requirements of This Administrative Regulation; And

(b) Provide the Required Documentation to Verify Compliance with This Administrative regulation.

Findings:

General: (1), and 922 KAR 2:120. Section 8. Kitchen Requirements.

(4) A Cold-storage Facility Used for Storage of Perishable Food in a Nonfrozen State Shall:

(a) Have an Indicating Thermometer or Other Appropriate Temperature Measuring Device;

(b) Be in a Safe Environment for Preservation; And

(c) Be Forty (40) Degrees Fahrenheit or below.

Findings:

General: Based on Observation, the Surveyor Found That the Refrigerator Located in the Kitchen Had a Temperature of Fifty (50) Degrees Fahrenheit; Therefore, the Temp (1). None of the 11 findings were critical.

### Inspection Visits

Nov 24, 2025 6 Findings ● 6 Important

#### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 8. Kitchen Requirements.**

**(4) A Cold-storage Facility Used for Storage of Perishable Food in a Nonfrozen State Shall:**

**(a) Have an Indicating Thermometer or Other Appropriate Temperature Measuring Device;**

**(b) Be in a Safe Environment for Preservation; And**

**(c) Be Forty (40) Degrees Fahrenheit or below.**

**Findings:**

**General: Based on Observation, the Surveyor Found That the Refrigerator Located in the Kitchen Had a Temperature of Fifty (50) Degrees Fahrenheit; Therefore, the Temp**

1040 - Refrigerator

- **922 KAR 2:120. Section 8. Kitchen Requirements.**

**(5) Frozen Food Shall Be:**

**(a) Kept at a Temperature of Zero Degrees Fahrenheit or Below; And**

**(b) Thawed:**

**1. At Refrigerator temperatures;**

**2. Under Cool, Potable Running water;**

**3. As Part of the Cooking Process; or**

**4. By Another Method in Accordance with the Department for Public Health's Food Safety Standards and Permits, Established in KRS Chapter 217.**

**Findings:**

**General: Based on Observation, the Surveyor Found That the Freezer Attached to the Ref**

1045 - Frozen Food

- **922 KAR 2:090. Section 9. Records.**

**(1) A Child-care Center Shall Maintain:**

**(b) A Written Record for Each child:**

**1. Completed and Signed by the Child's parent;**

**2. Retained on File on the First Day the Child Attends the Child-care Center; and**

**3. To Contain:**

**a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;**

**b. Contact Information to Enable a Person in Charge to Contact the Child's:**

**(i) Parent at the Parent's Home or Place of Empl**

1250 - Enrollment Information

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 3. General Requirements.**

**(12) A Fire Drill Shall Be:**

**(a) Conducted During Hours of Operation at Least Monthly; And**

**(b) Documented, Detailing the Date and time.**

**(13) An Earthquake Drill, Shelter-in-place Drill, Lockdown Drill, and Tornado Drill Shall Be:**

**(a) Conducted During Hours of Operation at Least Quarterly; And**

**(b) Documented, Detailing the Date and time.**

**Findings:**

**General: Based on Review of Documentation, the Surveyor Found That the Child-care Center Failed to Docum**

1305 - Monthly Fire, Quarterly Earthquake/Shelter-in-place/Tornado Drills

● **922 KAR 2:090. Section 8. General.**

**(1) A Licensee Shall:**

**(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And**

**(b) Protect and Ensure the Health, Safety, and Comfort of Each child.**

**Findings:**

**General: Based on Observation, the Surveyor Found an Electrical Outlet Located in the Preschool Classroom That Had a Corner of the Plastic Covering Broken; Therefore, the Health, safety and Comfort of the Children Was C**

225 - Licensee Responsibility

● **922 KAR 2:090. Section 11. Staff Requirements.**

**(6) Child-care Centers Shall Have Available if Needed:**

**(a) One (1) Qualified Substitute Staff Person for a Type II Child-care Center; Or**

**(b) Two (2) Qualified Substitute Staff Persons for a Type I Child-care center.**

**(7) Each Qualified Substitute Staff Person Shall:**

**(a) Meet the Staff Requirements of This Administrative Regulation; And**

**(b) Provide the Required Documentation to Verify Compliance with This Administrative regulation.**

**Findings:**

**General:**

420 - Adequate Substitute(s)

**Aug 21, 2024** 5 Findings ● 5 Important

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 9. Records.**

**(1) A Child-care Center Shall Maintain:**

**(f) A Written Annual Plan for Child-care Staff Professional development;**

**Findings:**

**General: Based on Review of Documentation, the Surveyor Found One (1) Staff's (4/20/19) File Contained a Professional Development Plan Dated for 5/9/23; Therefore, the Plan Was Not completed annually.**

**Posted Documentation In Compliance**

**Animals In Compliance**

**Signature of Provider/Representative Title Date**

**An Equal Opportunity Employer M/F/D**

1280 - Professional Development

● **922 KAR 2:090. Section 10. Director Requirements and Responsibilities.**

**(1) A Director Shall:**

**(j) Assess Each Staff Person's Interaction with Children in Care and Classroom Performance Through an Annual Written Performance evaluation;**

**Findings:**

**General: Based on Review of Documentation, the Surveyor Found One (1) Staff's (DOH: 4/20/19) File Contained an Annual Written Performance Evaluation Dated for 5/9/23; Therefore, The evaluation Was Not Completed annually.**

**An Equal Opportunity Employer M/F/D**

360 - Staff Evaluation

● **922 KAR 2:090. Section 11. Staff Requirements.**

**(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:**

**(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program;**

**(b) Nine (9) Hours of Cabinet-approved Early Care and Education Training Within the First Year of Employment in a Child Care Program, Including One and One-half (1 ½) Hours of Cabinet-a**

435 - Training

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 4. Premises Requirements.**

**(20) An Outdoor Play Area Shall Be:**

**(d) Safe From Foreseeable Hazard;**

**(e) Well Drained;**

**(f) Well Maintained;**

**(g) In Good Repair; And**

**(h) Visible to Staff at All times.**

**Findings:**

**General: Based on Observation, the Surveyor Observed a Broken Trim Piece Made From Wood with an Exposed Nail and Jagged Edges; Therefore, This Area on the Playground Was Not In good Repair or Safe From Foreseeable Hazards.**

795 - Playground Conditions

- **922 KAR 2:120. Section 4. Premises Requirements.**

**(24) Fences Shall Be:**

**(a) Constructed of Safe Material;**

**(b) Stable; And**

**(c) In Good condition.**

**Findings:**

**General: Based on Observation, the Surveyor Observed an Approximate Three (3) Inch Gap in the Corner of the Chain Link Fence. A Flat Piece of Metal That Fastens the Chain Link to The corner Fence Post Was Missing; Therefore, This Section of the Fence Was Not in Good condition.**

**Equipment In Compliance**

**Transportation In Compliance**

**Kitchen Require**

805 - Fence Construction

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.