

Alegres Campanitas

208 Alger Avenue
Louisville, KY

3 Inspection Visits Since 2024 - 8 Findings

Most recent inspection: Sep 12, 2025

● 8 Important

Across 3 inspections since 2024, the issues cited most often were 922 KAR 2:100 - Section 19. Records.

(1) A Provider Shall Maintain:

(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.034;

Findings:

General: Based on Review of Documentation and Interview, One (1) Child's Enrollment Record (DOE: 03/25/25) Did Not Contain a Current Immunization Certificate. (2), 922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.

(2) Each Floor Level Used for Child Care Shall Have at Least One (1):

(a) Unblocked Exit to the Outside;

(b) Smoke Detector, Including in the Kitchen Area and in the Children's Sleeping Areas;

(c) Properly Maintained Fire Extinguisher, Including in the Kitchen Area; And

(d) Carbon Monoxide Detector if the home:

1. Uses Fuel Burning Appliances; or

2. Has an Attached garage.

Findings:

General: Based On (1), and 922 KAR 2:100 - Section 19. Records.

(1) A Provider Shall Maintain:

(b) A Written Record for Each child:

1. Completed and Signed by the Child's parent;

2. Retained on File on the First Day the Child Attends the Family Child-care Home; and

3. To Contain:

a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;

b. Contact Information to Enable the Provider to Contact the Child's:

(i) Parent at the Parent's Home or Place of Employment; (1). None of the 8 findings were critical.

Inspection Visits

Sep 12, 2025 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(2) Each Floor Level Used for Child Care Shall Have at Least One (1):
 - (a) Unblocked Exit to the Outside;**
 - (b) Smoke Detector, Including in the Kitchen Area and in the Children's Sleeping Areas;**
 - (c) Properly Maintained Fire Extinguisher, Including in the Kitchen Area; And**
 - (d) Carbon Monoxide Detector if the home:**
 - 1. Uses Fuel Burning Appliances; or**
 - 2. Has an Attached garage.**

Findings:

General: Based On

340 - Floor Level Requirements

- **922 KAR 2:100 - Section 19. Records.**
(1) A Provider Shall Maintain:
 - (a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.034;**

Findings:

General: Based on Review of Documentation and Interview, One (1) Child's Enrollment Record (DOE: 03/25/25) Did Not Contain a Current Immunization Certificate.

730 - Immunization

- **922 KAR 2:100 - Section 19. Records.**
(1) A Provider Shall Maintain:
 - (b) A Written Record for Each child:**
 - 1. Completed and Signed by the Child's parent;**
 - 2. Retained on File on the First Day the Child Attends the Family Child-care Home; and**
 - 3. To Contain:**
 - a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;**
 - b. Contact Information to Enable the Provider to Contact the Child's:**
 - (i) Parent at the Parent's Home or Place of Employment;**

735 - Children's information

- **922 KAR 2:100 - Section 12. The General Requirements of the Family Child-Care Home Environment.**
(23) In the Event of a Natural Disaster, Fire, Shelter-in-place, Lockdown, or Other Emergency, a Written Plan Shall Be in Place to Communicate reunification with Families and Accommodations For:
 - (a) Infants and Toddlers;**
 - (b) Children with Disabilities; And**
 - (c) Children with Chronic Medical conditions.**

Findings:

General: Based on Review of Documentation and Interview, the Provider Failed to Present a D

772 - Disaster Reunification Plan

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

Dec 3, 2024 1 Finding ● 1 Important

● **922 KAR 2:100 - Section 19. Records.**

(1) A Provider Shall Maintain:

(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.034;

Findings:

General: Based on Interview and Review of Documentation, the Immunization Certificates Presented for Two Children (DOE: 10/02/24 and 10/30/24) Were expired.

Written Documentation In Compliance

730 - Immunization

Feb 6, 2024 3 Findings ● 3 Important

● **922 KAR 2:100 - Section 4. Statement of Deficiency and Corrective Action Plans.**

(2) Except for a Violation Posing an Immediate Threat, a Family Child-care Home Shall Submit a Written Corrective Action Plan to the Cabinet or Its designee Within Ten (10) Calendar Days From Receipt of the Statement of Deficiency to Eliminate or Correct the Regulatory violation.

Findings:

A PLAN OF CORRECTION WAS DUE ON 03/25/2024 AND AS OF 04/09/2024, THE PLAN OF CORRECTION HAS NOT BEEN RECEIVED.

Provider Requirement

110 - Written Plan of Correction

● **922 KAR 2:100 - Section 10. Standards for the Provider.**

(1)(a) Between July 1 and June 30 of the Following Calendar Year, a Provider Shall Complete at Least Nine (9) Hours of Cabinet-approved Early Care and Education Training Beginning with the Second Year of Operation, Including One and One-half (1½) Hours of Cabinet-approved Pediatric Abusive head Trauma Training in Accordance with KRS 199.8982(2) to Be completed:

1. Within the Second Year of Employment or Operation in Child Care; and

2. Every

265 - Provider Training Requirements

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.**
 - (2) A Sink Shall Be;**
 - (a) Located Near or in Close Proximity to Toilets;**
 - (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
 - (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
 - (d) Equipped with Liquid Soap and Single Use, Disposable Hand Drying Material;**
 - (e) Equipped with an Easily Cleanable, Covered Waste Receptacle; And**
 - (f) Near or In**

420 - Sink

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.