

Alexandria Head Start

51 Orchard Lane
Alexandria, KY

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Dec 10, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;
- (d) Equipped with Liquid Soap;
- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;
- (f) Equipped with an Easily Clea (1), 922 KAR 2:090. Section 9. Records.

(1) A Child-care Center Shall Maintain:

(b) A Written Record for Each child:

- 1. Completed and Signed by the Child's parent;
- 2. Retained on File on the First Day the Child Attends the Child-care Center; and
- 3. To Contain:
 - a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;
 - b. Contact Information to Enable a Person in Charge to Contact the Child's:
 - (i) Parent at the Parent's Home or Place of Empl (1), and 922 KAR 2:120. Section 3. General Requirements.

(12) A Fire Drill Shall Be:

- (a) Conducted During Hours of Operation at Least Monthly; And
- (b) Documented, Detailing the Date and time.

(13) An Earthquake Drill, Shelter-in-place Drill, Lockdown Drill, and Tornado Drill Shall Be:

- (a) Conducted During Hours of Operation at Least Quarterly; And
- (b) Documented, Detailing the Date and time.

Findings:

General: Based on Review of Documentation, Record of a Quarterly Shelter-in-place Drill for the Third Qu (1). None of the 3 findings were critical.

Inspection Visits

Dec 10, 2025 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:090. Section 9. Records.**
 - (1) A Child-care Center Shall Maintain:**
 - (b) A Written Record for Each child:**
 - 1. Completed and Signed by the Child's parent;**
 - 2. Retained on File on the First Day the Child Attends the Child-care Center; and**
 - 3. To Contain:**
 - a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;**
 - b. Contact Information to Enable a Person in Charge to Contact the Child's:**
 - (i) Parent at the Parent's Home or Place of Empl**

1250 - Enrollment Information

- **922 KAR 2:120. Section 3. General Requirements.**
 - (12) A Fire Drill Shall Be:**
 - (a) Conducted During Hours of Operation at Least Monthly; And**
 - (b) Documented, Detailing the Date and time.**
 - (13) An Earthquake Drill, Shelter-in-place Drill, Lockdown Drill, and Tornado Drill Shall Be:**
 - (a) Conducted During Hours of Operation at Least Quarterly; And**
 - (b) Documented, Detailing the Date and time.**

Findings:
General: Based on Review of Documentation, Record of a Quarterly Shelter-in-place Drill for the Third Qu

1305 - Monthly Fire, Quarterly Earthquake/Shelter-in-place/Tornado Drills

- **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**
 - (3) A Sink Shall Be:**
 - (a) Located in or Immediately Adjacent to Toilet Rooms;**
 - (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**
 - (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**
 - (d) Equipped with Liquid Soap;**
 - (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**
 - (f) Equipped with an Easily Clea**

690 - Sink

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.