

Zion Christian Academy

10310 Dixie Highway
Florence, KY

1 Inspection Visit Since 2024 - 2 Findings

Most recent inspection: May 1, 2024

● 2 Important

Across 1 inspection since 2024, the issues cited most often were 922 KAR 2:090. Section 11. Staff Requirements.

(1) Child-care Center Staff:

(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:

1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or
2. A Copy of Negative Tuberculin results.

Findings:

General: Based on Review of Documentation, Two (2) Staff Members (DOH 09/14/21, 09/19/23) Files Contained TB Documentation That Was No Longer Valid as of 04/01/24 and 04/29/2024.

Programming In Compli (1) and 922 KAR 2:120. Section 4. Premises Requirements.

(21) A Protective Surface Shall:

(a) Be Provided for Outdoor Play Equipment Used to:

1. Climb;
2. Swing; and
3. Slide; And

(b) Have a Fall Zone Equal to the Height of the equipment.

Findings:

General: Based on Observation, There Was No Fall Zone Material Around Two (2) Climbing Structures and One (1) Swingset. The Structures Were Positioned on grass.

Equipment In Compliance

Transportation Not Applicable

Kitchen Requirements In Compliance

Food Serv (1). None of the 2 findings were critical.

Inspection Visits

May 1, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 11. Staff Requirements.**

(1) Child-care Center Staff:

(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:

- 1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or**
- 2. A Copy of Negative Tuberculin results.**

Findings:

General: Based on Review of Documentation, Two (2) Staff Members (DOH 09/14/21, 09/19/23) Files Contained TB Documentation That Was No Longer Valid as of 04/01/24 and 04/29/2024.

Programming In Compli

405 - TB Verification

● **922 KAR 2:120. Section 4. Premises Requirements.**

(21) A Protective Surface Shall:

(a) Be Provided for Outdoor Play Equipment Used to:

- 1. Climb;**
- 2. Swing; and**
- 3. Slide; And**

(b) Have a Fall Zone Equal to the Height of the equipment.

Findings:

General: Based on Observation, There Was No Fall Zone Material Around Two (2) Climbing Structures and One (1) Swingset. The Structures Were Positioned on grass.

Equipment In Compliance

Transportation Not Applicable

Kitchen Requirements In Compliance

Food Serv

800 - Protective Surface

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.