

Camargo Head Start

4307 Camargo Road
Mt. Sterling, KY

2 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Jan 29, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were 922 KAR 2:120. Section 8. Kitchen Requirements. (2) A Child-care Center Required to Have a Food Service Permit Shall Be in Compliance with 902 KAR 45:005 and This Administrative regulation.

Findings:

General: Based on Review of Documentation, the Surveyor Found That the Child-care Center Did Not Have a Current Food Service Permit. The Food Service Permit That Was Available For review Expired on 12/31/2024.

During Interview with Staff-in-charge, She Stated That She Had Called the Local Health Dep (1), 922 KAR 2:090. Section 8. General.

(2) Child-care Center Staff Shall Be:

- (a) Instructed by the Child-care Center's Director Regarding Requirements for Operation; And
- (b) Provided with a Copy of This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280.

Findings:

General: Based on Observation, the Most Current Copy of the Regulations Available for Review Had Been Printed in 2017. This Was Found Posted on a Bulletin Board Located Inside of The classroom. A Review of Documents Located in a B (1), and 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A Sink Shall Be:

- (a) Located in or Immediately Adjacent to Toilet Rooms;
- (b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;
- (c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;
- (d) Equipped with Liquid Soap;
- (e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;
- (f) Equipped with an Easily Clea (1). None of the 4 findings were critical.

Inspection Visits

Jan 29, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 8. Kitchen Requirements.**
(2) A Child-care Center Required to Have a Food Service Permit Shall Be in Compliance with 902 KAR 45:005 and This Administrative regulation.

Findings:

General: Based on Review of Documentation, the Surveyor Found That the Child-care Center Did Not Have a Current Food Service Permit. The Food Service Permit That Was Available For review Expired on 12/31/2024.

During Interview with Staff-in-charge, She Stated That She Had Called the Local Health Dep

1030 - Food Service Permit

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

Oct 30, 2023 3 Findings ● 3 Important

● **922 KAR 2:090. Section 9. Records.**

(1) A Child-care Center Shall Maintain:

(h) A Written Record of Quarterly Practiced Earthquake Drills and Tornado Drills Detailing the Date, Time, and Children Who Participated In accordance with 922 KAR 2:120, Section 3;

(i) A Written Record of Practiced Fire Drills Conducted Monthly Detailing the Date, Time, and Children Who Participated in Accordance with 922 KAR 2:120, Section 3;

Findings:

General: Based on Review of Documentation, the Names of the Children

1285 - Earthquake/Tornado/Fire Drills

● **922 KAR 2:090. Section 8. General.**

(2) Child-care Center Staff Shall Be:

(a) Instructed by the Child-care Center's Director Regarding Requirements for Operation; And

(b) Provided with a Copy of This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280.

Findings:

General: Based on Observation, the Most Current Copy of the Regulations Available for Review Had Been Printed in 2017. This Was Found Posted on a Bulletin Board Located Inside of The classroom. A Review of Documents Located in a B

335 - Operation instruction/Regulation copy

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

(3) A Sink Shall Be:

(a) Located in or Immediately Adjacent to Toilet Rooms;

(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;

(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;

(d) Equipped with Liquid Soap;

(e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;

(f) Equipped with an Easily Clea

690 - Sink

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.