

# Dayton Independent Youth Center

999 Vine Street  
Dayton, KY

## 3 Inspection Visits Since 2023 - 12 Findings

Most recent inspection: Sep 3, 2025

● 12 Important

Across 3 inspections since 2023, the issues cited most often were 922 KAR 2:090. Section 9. Records.

(1) A Child-care Center Shall Maintain:

(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.036;

Findings:

General: Based on Review of Documentation, a Child (DOE: 07/14/25) Did Not Have an Up to Date Record of Immunizations on File at the Time of Inspection. The Record on File Expired on 0 (2), 922 KAR 2:090. Section 8. General.

(2) Child-care Center Staff Shall Be:

(a) Instructed by the Child-care Center's Director Regarding Requirements for Operation; And  
(b) Provided with a Copy of This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280.

Findings:

General: Based on Review of Documentation, the Center Did Not Have a Current Copy of the 922 KAR 2:120 and 922 KAR 2:280 Regulations at the Time of Inspection. (1), and 922 KAR 2:090. Section 11. Staff Requirements.

(1) Child-care Center Staff:

(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:

1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or
2. A Copy of Negative Tuberculin results.

Findings:

General: Based on Review of Documentation, the Following Was Found During inspection:

1) A Staff (DOH: 03/11/25) Had TB Results on File at the Facility; However, the Results Were Dated 04/30/25 Which

(1). None of the 12 findings were critical.

## Inspection Visits

**Sep 3, 2025** 6 Findings ● 6 Important

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 9. Records.**

**(1) A Child-care Center Shall Maintain:**

**(a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.036;**

**Findings:**

**General: Based on Review of Documentation, a Child (DOE: 07/14/25) Did Not Have an Up to Date Record of Immunizations on File at the Time of Inspection. The Record on File Expired on**

**0**

1245 - Immunization

● **922 KAR 2:090. Section 8. General.**

**(4) Program Policies and Procedures Shall:**

**(a) Be in Writing; And**

**(b) Include:**

**1. Staff policies;**

**2. Job descriptions;**

**3. An Organization chart;**

**4. Chain of Command; and**

**5. Other Procedures Necessary to Ensure Implementation Of:**

**a. KRS 199.898, Rights for Children in Child-care Programs and Their Parents, Custodians, or Guardians - Posting and Distribution Requirements;**

**b. 922 KAR 2:120, Child-care Center Health and Safety Standards;**

**c. 922 KAR 2:280, Background**

1265 - Policies and Procedures

● **922 KAR 2:120. Section 3. General Requirements.**

**(12) A Fire Drill Shall Be:**

**(a) Conducted During Hours of Operation at Least Monthly; And**

**(b) Documented, Detailing the Date and time.**

**(13) An Earthquake Drill, Shelter-in-place Drill, Lockdown Drill, and Tornado Drill Shall Be:**

**(a) Conducted During Hours of Operation at Least Quarterly; And**

**(b) Documented, Detailing the Date and time.**

**Findings:**

**General: Based on Review of Documentation, There Was No Documentation of Earthquake, Tornado, and Lockdo**

1305 - Monthly Fire, Quarterly Earthquake/Shelter-in-place/Tornado Drills

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 8. General.**

**(6) In Addition to the Posting Requirement of KRS 199.898(3), a Child-care Center Shall Post the Following in a Conspicuous Place and Make available for Public Inspection:**

**(a) The Provider's Preliminary or Regular License;**

**(b) Each Statement of Deficiency and Civil Penalty Notice Issued by the Cabinet During the Current Licensure Year;**

**(c) Each Plan of Correction Submitted by the Child-care Center to the Cabinet During the Current Licensure Year;**

**(d) Informatio**

1310 - Posting Requirements

● **922 KAR 2:090. Section 8. General.**

**(2) Child-care Center Staff Shall Be:**

**(a) Instructed by the Child-care Center's Director Regarding Requirements for Operation; And**

**(b) Provided with a Copy of This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280.**

**Findings:**

**General: Based on Review of Documentation, the Center Did Not Have a Current Copy of the 922 KAR 2:120 and 922 KAR 2:280 Regulations at the Time of Inspection.**

335 - Operation instruction/Regulation copy

● **922 KAR 2:090. Section 11. Staff Requirements.**

**(1) Child-care Center Staff:**

**(b) Shall Provide, Prior to Employment and Every Two (2) Years thereafter:**

**1. A Statement From a Health Professional That the Individual Is Free of Active Tuberculosis; or**

**2. A Copy of Negative Tuberculin results.**

**Findings:**

**General: Based on Review of Documentation, the Following Was Found During inspection:**

**1) A Staff (DOH: 03/11/25) Had TB Results on File at the Facility; However, the Results Were Dated 04/30/25 Which**

405 - TB Verification

**Aug 15, 2024** 3 Findings ● 3 Important

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

**(3) A Sink Shall Be:**

**(a) Located in or Immediately Adjacent to Toilet Rooms;**

**(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**

**(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**

**(d) Equipped with Liquid Soap;**

**(e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**

**(f) Equipped with an Easily Clea**

690 - Sink

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 7. First Aid and Medicine.**
    - (1) First Aid Supplies Shall:**
      - (a) Be Available to Provide Prompt and Proper First Aid Treatment;**
      - (b) Be Stored Out of Reach of a Child;**
      - (c) Be Periodically Inventoried to Ensure the Supplies Have Not Expired;**
      - (d) If Reusable, be:**
        - 1. Sanitized; and**
        - 2. Maintained in a Sanitary Manner; And**
      - (e) Include:**
        - 1. Liquid soap;**
        - 2. Adhesive bandages;**
        - 3. Sterile gauze;**
        - 4. Medical tape;**
        - 5. Scissors;**
        - 6. A thermometer;**
        - 7. Flashlight;**
        - 8. Cold pack;**
        - 9. First Aid Boo**
- 760 - First Aid Supplies

- **922 KAR 2:120. Section 6. Sleeping and Napping Requirements.**
    - (3) Rest Time Shall Occur in an Adequate Space According to the Child's Age as Follows:**
      - (a) For an infant:**
        - 1. An Individual Non-tiered Crib That Meets Consumer Product Safety Commission Standards Established in 16 C.F.R. 1219-1220;**
        - 2. A Firm Crib Mattress in Good Repair with a Clean Tight-fitted Sheet That Shall Be Changed:**
          - a. Weekly; Or**
          - b. Immediately if It Is Soiled or wet;**
- Findings:**  
**General: Based on Observation, One Bed Contained A**
- 835 - Crib/Mattress/Sheet

**Aug 23, 2023** 3 Findings ● 3 Important

- **922 KAR 2:090. Section 9. Records.**
    - (1) A Child-care Center Shall Maintain:**
      - (a) A Current Immunization Certificate for Each Child in Care Within Thirty (30) Days of the Child's Enrollment, Unless an Attending Physician or The child's Parent Objects to the Immunization of the Child Pursuant to KRS 214.036;**
- Findings:**  
**General: Based on Review of Documentation, the Following Was found:**
  - 1.) Three (3) Children's Files Had Immunization Records That Were Not current.**
  - 2.) One (1) Child Enrolled Longer Tha**
- 1245 - Immunization

#### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:090. Section 11. Staff Requirements.**

**(16) In Accordance with KRS 199.896(15) and (16), a Staff Person with Supervisory Authority Over a Child Shall Complete the Following:**

**(a) Six (6) Hours of Cabinet-approved Orientation Completed Within the First Three (3) Months of Employment in a Child-care Program;**

**(b) Nine (9) Hours of Cabinet-approved Early Care and Education Training Within the First Year of Employment in a Child Care Program, Including One and One-half (1 ½) Hours of Cabinet-a**

435 - Training

- **922 KAR 2:120. Section 4. Premises Requirements.**

**(9) Floors, Walls, and Ceilings Shall Be Smooth, in Good Repair, and Constructed to Be Easily cleaned. Findings:**

**General: Based on Observation, the Following Was found:**

**1.) The Toddler Room, Contained a Broken Light Fixture in the ceiling.**

**2.) The Nursery Contained a Broken Light Fixture in the ceiling.**

**Hygienic Practices In Compliance**

**First Aid/Medication In Compliance**

**Outdoor Play Area In Compliance**

**Equipment In Compliance**

**Transportation In Comp**

625 - Floors, Walls, Ceilings

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.