

Yolanda Mingo

3109 Limerick Lane
Louisville, KY

3 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: May 6, 2026

● 6 Important

Across 3 inspections since 2024, the issues cited most often were 922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.

(9) If a Child Is Being Diapered, the Child Shall:

(b) Be Placed on a Surface That is:

1. Clean;
2. Padded;
3. Free of Holes, Rips, Tears, or Other damage;
4. Nonabsorbent;
5. Easily Cleaned; and
6. Free of Items Not Used for Diaper changing.

Findings:

General: Based on Observation, the Changing Surface Within the Restroom Was Equipped with an Absorbent Covering.

(1), 922 KAR 2:100 - Section 16. Medication and First Aid.

(1) Medication, Including Medicine That Requires Refrigeration, Shall Be Stored in a Locked Container or Area with a Lock Unless the Medication Is:

- (a) A First Aid Supply. A First Aid Supply Shall Be Maintained in Accordance with Subsection (4) of This Section;
- (b) Diaper Cream, Sunscreen, or Toothpaste. Diaper Cream, Sunscreen, or Toothpaste Shall Be Inaccessible to a Child in care;

Findings:

General: Based on Observation, Tubes of Neosporin (1), and 922 KAR 2:100 - Section 15. Food Requirements.

(10) A Weekly Menu Shall Be:

- (a) Prepared;
- (b) Dated;
- (c) Available to a Parent of a Child in Care or the Cabinet Upon Request; And
- (d) Kept on File for Thirty (30) Calendar days.

Findings:

General: Based on Observation and Interview, a Dated Menu Was Not Presented for Review Upon Request. The Provider Stated That a Menu for the Week of the Inspection Had Not Yet

been Completed. (1). None of the 6 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

May 6, 2026 4 Findings ● 4 Important

● **922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.**

(9) If a Child Is Being Diapered, the Child Shall:

(b) Be Placed on a Surface That is:

1. Clean;
2. Padded;
3. Free of Holes, Rips, Tears, or Other damage;
4. Nonabsorbent;
5. Easily Cleaned; and
6. Free of Items Not Used for Diaper changing.

Findings:

General: Based on Observation, the Changing Surface Within the Restroom Was Equipped with an Absorbent Covering.

470 - Diapering Space

● **922 KAR 2:100 - Section 16. Medication and First Aid.**

(1) Medication, Including Medicine That Requires Refrigeration, Shall Be Stored in a Locked Container or Area with a Lock Unless the Medication Is:

(a) A First Aid Supply. A First Aid Supply Shall Be Maintained in Accordance with Subsection (4) of This Section;

(b) Diaper Cream, Sunscreen, or Toothpaste. Diaper Cream, Sunscreen, or Toothpaste Shall Be Inaccessible to a Child in care;

Findings:

General: Based on Observation, Tubes of Neosporin

485 - Medication Locked/First Aid/Diaper cream/Sunscreen/Toothpaste

● **922 KAR 2:100 - Section 15. Food Requirements.**

(10) A Weekly Menu Shall Be:

(a) Prepared;

(b) Dated;

(c) Available to a Parent of a Child in Care or the Cabinet Upon Request; And

(d) Kept on File for Thirty (30) Calendar days.

Findings:

General: Based on Observation and Interview, a Dated Menu Was Not Presented for Review Upon Request. The Provider Stated That a Menu for the Week of the Inspection Had Not Yet been Completed.

695 - Weekly Menu

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:100 - Section 19. Records.**

(5) A Certified Family Child-care Home Provider Shall Maintain a Written Record Of:

(a) Quarterly Practiced Earthquake Drills, Tornado Drills, Shelter-in-place Drills, and Lockdown Drills Detailing the Date, Time, and Participants In

accordance with Section 12(22) of This Administrative regulation;

Findings:

General: Based on Interview and Review of Documentation, a Written Record Verifying That Fire, Earthquake, Tornado, and Lockdown Drills Had Been Conducted

780 - Documentation of Earthquake/Tornado/Shelter-in-Place/Lockdown Drills

Jun 3, 2025 1 Finding ● 1 Important

● **922 KAR 2:100 - Section 19. Records.**

(1) A Provider Shall Maintain:

(b) A Written Record for Each child:

1. Completed and Signed by the Child's parent;

2. Retained on File on the First Day the Child Attends the Family Child-care Home; and

3. To Contain:

a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;

b. Contact Information to Enable the Provider to Contact the Child's:

(i) Parent at the Parent's Home or Place of Employment;

735 - Children's information

Jul 29, 2024 1 Finding ● 1 Important

● **922 KAR 2:100 - Section 14. Toilet and Diapering Requirements.**

(2) A Sink Shall Be:

(a) Located Near or in Close Proximity to Toilets;

(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;

(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;

(d) Equipped with Liquid Soap and Single Use, Disposable Hand Drying Material;

(e) Equipped with an Easily Cleanable, Covered Waste Receptacle; And

(f) Near or In

420 - Sink

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.