

Tejalben Patel

Kayley Drive
Sykesville, MD

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Oct 22, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were There Was a Spray Bottle of Cleaner on the Vanity in the Bathroom. The Provider Removed the Cleaner During the Inspection. (1), The Provider Did Not Have a Trash Can to Dispose of Soiled Diapers (1), and The Diapering Procedures Were Not Posted. (1). None of the 5 findings were critical.

Inspection Visits

Oct 22, 2025 1 Finding ● 1 Important

- **There Was a Spray Bottle of Cleaner on the Vanity in the Bathroom. The Provider Removed the Cleaner During the Inspection.**
13A.15.10.02

Apr 15, 2025 4 Findings ● 4 Important

- **The Provider Did Not Have a Trash Can to Dispose of Soiled Diapers**
13A.15.05.03C
- **The Diapering Procedures Were Not Posted.**
13A.15.05.03E(2)
- **The Provider Did Not Have Pack and Play Sheets**
13A.15.05.06A
- **The Provider Did Not Have Strollers or High Chairs.**
13A.15.09.02A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.