

Kimberly Day

E Lake Avenue
Baltimore, MD

2 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: Mar 19, 2026

● 6 Important

Across 2 inspections since 2024, the issues cited most often were LS Was Not Able to Observe Any Current Emergency Forms. (2), The Program Does Not Have an Up to Date Fire Drill Log. (1), and The First Aid Kit Is Missing Band-aids, a Flashlight, Paper Towels, a Sanitary Napkin, Safety Pins, a Triangle Bandage, Medical Tape, Scentless Soap, and Wash Cloth. (1). None of the 6 findings were critical.

Inspection Visits

Mar 24, 2025 5 Findings ● 5 Important

● **LS Was Not Able to Observe Any Current Emergency Forms.**

13A.15.03.04A(3)

● **The Program Does Not Have an Up to Date Fire Drill Log.**

13A.15.10.01A(3)

● **The First Aid Kit Is Missing Band-aids, a Flashlight, Paper Towels, a Sanitary Napkin, Safety Pins, a Triangle Bandage, Medical Tape, Scentless Soap, and Wash Cloth.**

13A.15.10.01H(1)

● **In the Living Room and the Bathroom There Were Cleaning Products in Reach of Children.**

13A.15.10.02

● **The Epi Pen for XS Has Expired (11/2024).**

13A.15.11.04E(1)(c)

Mar 20, 2024 1 Finding ● 1 Important

● **LS Was Not Able to Observe Emergency Forms for 2 Children Enrolled in Care.**

13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.