

## Bethesda Country Day School

Beech Ave  
Bethesda, MD

### 7 Inspection Visits Since 2023 · 12 Findings

Most recent inspection: Apr 15, 2026

● 12 Important

Across 7 inspections since 2023, the issues cited most often were The Facility Confirmed That the Child Fell and Broke Their Arm as a Result of the Accident. LS Reviewed Proper Supervision and Safe Use of Outdoor Play Equipment with the Facility During the Investigation. (3), Facility Confirms There Was a Lapse in Supervision Which Caused a Child to Be Left Behind in the Bathroom. (2), and LS Observed 3 Instances of Children's Emergency Forms That Need Additional Information to Be Filled In. 1 Form Needed Confirmation of the Child's Home Address, and 2 Forms Needed Physician Information Such as Their Telephone Number and Address. (2). None of the 12 findings were critical.

### Inspection Visits

**Apr 15, 2026** 2 Findings ● 2 Important

- **Records Indicate That the Room Painting at the Facility Began During the Week of 3/22/2026. Rooms That Were Scheduled to Be Repainted Were Temporarily Closed and the Children Relocated to Alternate Classrooms. A Memo Was Sent Out to the Families and Staff Members, but There Was No Communication With**

13A.16.03.06E(2)

- **LS Observed Loose Ceiling Tiles and Dangling Wire in Room 9. Facility States That the Maintenance Personnel Is Scheduled to Start Making Repairs on Thursday 4/16/2026.**

13A.16.05.01A(2)

**Mar 26, 2026** 2 Findings ● 2 Important

- **The Facility Confirmed That the Child Fell and Broke Their Arm as a Result of the Accident. LS Reviewed Proper Supervision and Safe Use of Outdoor Play Equipment with the Facility During the Investigation.**

13A.16.07.06A

- **The Staff Members State That They Had a Group of 9 Children Outside on the Playground at the Time. One of Them Was on the Blacktop with the Bikes, and the Other Was Standing Near the Play Structure. The Child Was Observed Climbing the Slide. The Staff Member Told the Child Not to Do That, but When T**

13A.16.08.07A

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

**Nov 21, 2025** 2 Findings ● 2 Important

- **Facility Confirms That a Child Was Accidentally Left Alone in the Hallway Bathroom.**

13A.16.07.06A

- **Facility Confirms There Was a Lapse in Supervision Which Caused a Child to Be Left Behind in the Bathroom.**

13A.16.08.01A(2)(a)

**Oct 7, 2025** 1 Finding ● 1 Important

- **LS Observed 3 Instances of Children's Emergency Forms That Need Additional Information to Be Filled In. 1 Form Needed Confirmation of the Child's Home Address, and 2 Forms Needed Physician Information Such as Their Telephone Number and Address.**

13A.16.03.04C

**May 21, 2025** 2 Findings ● 2 Important

- **LS Confirmed That an Accident at the Center Caused a Child to Have the Tip of Their Left Pinky Finger Severed in a Doorway.**

13A.16.07.06A

- **LS Confirmed That When a Staff Member Was Taking 3 Children Inside, 2 of the Kids Were in Front and 1 of Them Was Walking Behind the Staff Member. The One in the Back Was the One Who Had Their Pinky Severed in the Doorway.**

13A.16.08.01A(2)(b)

**Oct 23, 2024** 1 Finding ● 1 Important

- **Licensing Specialist Observed That 2 Outlets in Room 3 Did Not Have Coverings on Them. Facility Placed Caps on These Electrical Outlets During the Inspection.**

13A.16.10.04F

**Oct 19, 2023** 2 Findings ● 2 Important

- **Licensing Specialist Observed 1 Instance of an Emergency Form That Was Missing Emergency Pickup Contact Information. Director Is Asked to Follow Up with the Family to Fill in This Information.**

13A.16.03.04C

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed 6 Instances of Lead Forms That Appear to Be Missing a Second Lead Test. Director Is Asked to Review the Children's Files and Follow Up with the Families.**

13A.16.03.04E

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.