

Sandra McCoy

R Hamilton Avenue
Baltimore, MD

3 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Jan 22, 2026

● 14 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed One Emergency Form Needs to Be Updated. (4), LS Did Not Observe Emergency Preparedness Drills or Fire Drills. (4), and LS Observed That One Child Part Two Completed of the Health Inventory and Another Child Needs Updated Lead Test. (2). None of the 14 findings were critical.

Inspection Visits

Jan 22, 2026 6 Findings ● 6 Important

● **LS Observed One Emergency Form Needs to Be Updated.**

13A.15.03.04A(1)

● **LS Observed That One Child Part Two Completed of the Health Inventory and Another Child Needs Updated Lead Test.**

13A.15.03.04C

● **LS Discussed with the Provider.**

13A.15.06.02B(3)

● **LS Did Not Observe First aid/CPR During the Inspection.**

13A.15.06.02D(1)

● **LS Did Not Observe Emergency Preparedness Drills or Fire Drills.**

13A.15.10.01A(3)

● **LS Did Not Observe an Updated Emergency Preparedness Plan.**

13A.15.10.01A(4)

Jan 17, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Did Not Observe One Child's Emergency Form.**
13A.15.03.04A(1)

- **LS Did Not Observe One Child's Emergency Form.**
13A.15.03.04A(3)

Jan 24, 2024 6 Findings ● 6 Important

- **LS Did Not Observe Updated Fire and Emergency Disaster Drills for Provider.**
13A.15.03.03F
- **LS Discussed with the Provider That She Needs to Take Updated Health and Safety Training.**
13A.15.03.03G
- **LS Did Not Observe Child's Emergency Form (S.G.).**
13A.15.03.04A(3)
- **LS Did Not Observe Child's Emergency Form (S.G.).**
13A.15.03.04C
- **LS Did Not Observe Documentation Sating That the Emergency and Disaster Was Practiced Twice a Year.**
13A.15.10.01A(3)
- **LS Did Not Observe That the Emergency and Disaster Plan Was Updated Annually.**
13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.