

Sherri Nelson

I Street
Chesapeake Beach, MD

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 22, 2026

● 5 Important

Across 2 inspections since 2024, the issues cited most often were During a Review of Children's Records, It Was Discovered That a 6 Year Old Girl Is Missing a Varicella Immunization. Her Parent May Just Need to Provide an Updated Immunization Record Since She Is in School. A 1 Year 8 Month Old Girl Needs a Blood Lead Test and Another DTP, an MMR and a Varicella (1), During Inspection of the Outdoor Play Space, It Was Observed That There Are Exposed Screws on One Portion of the Wooden Play Set. Provider Stated That a Tree Fell on It and Broke Some of the Vertical Beams. The Provider's Husband Stated That He Has the Materials to Repair It, but Has Not Done So Y (1), and The Provider's Emergency Disaster Plan Had Not Been Reviewed and Updated Since January of 2023. During the Inspection, the Provider Reviewed, Initialed and Dated the Emergency Disaster Plan for the Update. Therefore, This Non-compliance Was Corrected On-site. (1). None of the 5 findings were critical.

Inspection Visits

Mar 3, 2025 4 Findings ● 4 Important

- **During a Review of Children's Records, It Was Discovered That a 6 Year Old Girl Is Missing a Varicella Immunization. Her Parent May Just Need to Provide an Updated Immunization Record Since She Is in School. A 1 Year 8 Month Old Girl Needs a Blood Lead Test and Another DTP, an MMR and a Varicella**
13A.15.03.04C
- **During Inspection of the Outdoor Play Space, It Was Observed That There Are Exposed Screws on One Portion of the Wooden Play Set. Provider Stated That a Tree Fell on It and Broke Some of the Vertical Beams. The Provider's Husband Stated That He Has the Materials to Repair It, but Has Not Done So Y**
13A.15.05.05A
- **The Provider's Emergency Disaster Plan Had Not Been Reviewed and Updated Since January of 2023. During the Inspection, the Provider Reviewed, Initialed and Dated the Emergency Disaster Plan for the Update. Therefore, This Non-compliance Was Corrected On-site.**
13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During Inspection of the Epi Pens for One of the Children in Care, It Was Observed That Each Pen Expired in March of 2023. Therefore, the Parent Should Be Notified of the Expiration of the Epi Pens and Request New Epi Pens for Their Daughter to Have at Day Care. After the Provider Receives the Epi**
13A.15.11.04E(1)(c)

Jan 17, 2024 1 Finding ● 1 Important

- **During a Review of Emergency Forms, It Was Found That a Three Year Old's Emergency Form Has Not Been Updated in Over a Year. Please Have the Parent Review, Initial and Date the Emergency Form to Indicate the Review. Please Provide a Copy of the Updated Emergency Form to OCC for the Correction of T**
13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.