

Samantha Palmore

Daventry Terrace
District Heights, MD

4 Inspection Visits Since 2023 · 12 Findings

Most recent inspection: Nov 4, 2025

● 12 Important

Across 4 inspections since 2023, the issues cited most often were LS Conducted Full Inspection on 11/04/2025. LS Observed That Two Children in Care Emergency Form Needed an Annually Update Signed Signed by the Parent. (4), Provider Informed LS That She Needed to Do Complete Her 12 Clock Hours. She Will Email LS with the Trainings. (1), and LS Observed No Immunizations for 3 Children. LS Observed No Medical for 2 Children. (1). None of the 12 findings were critical.

Inspection Visits

Nov 4, 2025 2 Findings ● 2 Important

- **LS Conducted Full Inspection on 11/04/2025. LS Observed That Two Children in Care Emergency Form Needed an Annually Update Signed Signed by the Parent.**

13A.15.03.04A(3)

- **Provider Informed LS That She Needed to Do Complete Her 12 Clock Hours. She Will Email LS with the Trainings.**

13A.15.06.02B(3)

Sep 27, 2024 1 Finding ● 1 Important

- **LS Observed One Child's Emergency Card Is Not Updated.**

13A.15.03.04A(3)

Nov 21, 2023 4 Findings ● 4 Important

- **LS Observed No Immunizations for 3 Children. LS Observed No Medical for 2 Children.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Tossed Ball to Children One of the Other Children Dove Down to Retrieve the Ball and Accidentally Hit the Two Year Old Child in the Foot Wit His Knuckles. The Child Told the Provider That His Foot Hurt.**

13A.15.07.07A

- **Provider Tossed Ball to Children One of the Other Children Dove Down to Retrieve the Ball and Accidentally Hit the Two Year Old Child in the Foot Wit His Knuckles. The Child Told the Provider That His Foot Hurt.**

13A.15.08.01B(1)

- **LS Observed Portable Heater in the Daycare Area . LS Told Provider to Move the Heater Out of the Daycare Area and Provider Moved the Heater Out of the Daycare Area.**

13A.15.10.02

Jul 13, 2023 5 Findings ● 5 Important

- **LS Observed One Child Missing the Health Inventory Form with Required Immunizations.**

13A.15.03.02A

- **LS Observed Three Children Without the Appropriate Lead Screening or Test on a Form Approved by the Licensing Agency.**

13A.15.03.02B

- **LS Observed One Child Missing the Emergency Form Supplied or Approved by the Licensing Agency.**

13A.15.03.04A(1)

- **LS Observed One Child Missing the Annual Update by the Parent.**

13A.15.03.04A(3)

- **LS Observed the First Aid Kit Missing Triangular Bandage, Operable Flashlight, Pocket Mask Readily Accessible.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.