

Christina Krause

Bill's Court
Mount Airy, MD

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Oct 6, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were At the Time of This Inspection the Provider Was Missing the Source of Health Care on 1 Emergency Card. The Provider Added This Missing Information Based on the Current Medical Reports Provided by the Parents. (2), At the Time of This Inspection the Provider Is Missing Proper Lead Screening(s) for 3 Children Enrolled in Care. The Provider Is to Obtain the Missing Documents and Submit Evidence to the LS. (1), and At the Time of This Inspection the Provider Is Missing a Gate at the Top of Her Steps. The Children Nap Upstairs. The Provider Is to Install a Hard Mounted Gate and Submit Photos to the LS. (1). None of the 4 findings were critical.

Inspection Visits

Oct 6, 2025 1 Finding ● 1 Important

- **At the Time of This Inspection the Provider Was Missing the Source of Health Care on 1 Emergency Card. The Provider Added This Missing Information Based on the Current Medical Reports Provided by the Parents.**

13A.15.03.04A(1)

Oct 17, 2024 1 Finding ● 1 Important

- **At the Time of This Inspection the Provider Is Missing Proper Lead Screening(s) for 3 Children Enrolled in Care. The Provider Is to Obtain the Missing Documents and Submit Evidence to the LS.**

13A.15.03.02B

Oct 23, 2023 2 Findings ● 2 Important

- **At the Time of This Inspection the Provider Has 2 Emergency Cards That Are Missing the Source of Health Care. Provider to Obtain This Information and Submit Evidence to the LS.**

13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of This Inspection the Provider Is Missing a Gate at the Top of Her Steps. The Children Nap Upstairs. The Provider Is to Install a Hard Mounted Gate and Submit Photos to the LS.**

13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.