

Clarlen Nursery Inc

Bethany Lane
Ellicott City, MD

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Mar 17, 2026

● 5 Important

Across 2 inspections since 2024, the issues cited most often were LS Reviewed Dates of Drills. Facility Has Several Missed Months of Drills. Facility Is Reminded to Follow COMAR Specific to Monthly Fire Drills and Emergency Drills 2X Annually (2), One Child's File Was Missing the Lead Testing (1), and Two Children's Emergency Forms Are Missing Enroll Date and One Is Missing the Schedule. (1). None of the 5 findings were critical.

Inspection Visits

Mar 17, 2026 3 Findings ● 3 Important

● **One Child's File Was Missing the Lead Testing**

13A.16.03.02E

● **Two Children's Emergency Forms Are Missing Enroll Date and One Is Missing the Schedule.**

13A.16.03.04C

● **LS Reviewed Dates of Drills. Facility Has Several Missed Months of Drills. Facility Is Reminded to Follow COMAR Specific to Monthly Fire Drills and Emergency Drills 2X Annually**

13A.16.10.01A(3)(c)

Feb 22, 2024 2 Findings ● 2 Important

● **LS Did Not Observe Evidence That the Emergency and Disaster Plan Is Practiced with the Children at Least Once per Month for Fire Evacuation and Twice per Year for Other Emergency and Disaster Situations. Director Must Ensure That Fire Evacuation Drills Are Planned and Practiced at Least Once per Mon**

13A.16.10.01A(3)(c)

● **LS Observed a Change of Operation That Was Not Approved by the Office. Director Must Submit a Change in Child Care Facilities to Have the Changes Approved.**

13A.16.16.04G

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.