

Terri Sampson

W Franklin Street
Baltimore, MD

3 Inspection Visits Since 2023 - 14 Findings

Most recent inspection: Nov 19, 2025

● 14 Important

Across 3 inspections since 2023, the issues cited most often were LS Observe at Least Two Emergency Forms That Need to Be Updated. (4), Licensing Specialist Observed a Child's Toy and Children's Bibs on the Diapering Table and Items Underneath the Diapering Pad That Need to Be Cleaned and Stored Away or Disposed Of. Corrected During Inspection. These Items Were Removed From the Diapering Table During the Inspection. (3), and Licensing Specialist Did Not Observe the Gate Secured at the Bottom of the Steps nor Secured in Front of the Kitchen. Corrected During Inspection. The Provider Secured Both Gates. (1). None of the 14 findings were critical.

Inspection Visits

Nov 19, 2025 1 Finding ● 1 Important

● **LS Observe at Least Two Emergency Forms That Need to Be Updated.**

13A.15.03.04A(3)

Oct 22, 2024 5 Findings ● 5 Important

● **Licensing Specialist Did Not Observe an Emergency Form for Two Children Present Today.**

13A.15.03.04A(1)

● **Licensing Specialist Observed Four Emergency Forms That Need Annual Updates.**

13A.15.03.04A(3)

● **Licensing Specialist Observed a Child's Toy and Children's Bibs on the Diapering Table and Items Underneath the Diapering Pad That Need to Be Cleaned and Stored Away or Disposed Of. Corrected During Inspection. These Items Were Removed From the Diapering Table During the Inspection.**

13A.15.05.03E(3)

● **Licensing Specialist Did Not Observe the Gate Secured at the Bottom of the Steps nor Secured in Front of the Kitchen. Corrected During Inspection. The Provider Secured Both Gates.**

13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Fabuloso on the Floor in the Second Floor Bathroom and Mouthwash on the Countertop. Corrected During Inspection. The Provider Made These Items Inaccessible to Children During the Inspection.**

13A.15.10.02

Nov 7, 2023 8 Findings ● 8 Important

- **Licensing Specialist Was Not Able to Observe Complete and Signed Parent Agreements in Each Child's Record.**

13A.15.03.03A

- **Licensing Specialist Observed One Emergency Form That Needs to Be Update. Please Also Complete a Second Emergency Form.**

13A.15.03.04A(3)

- **Licensing Specialist Did Not Observe Appropriate Evidence of Blood Lead Testing for Four Children and a Missing Health Inventory I for One Child.**

13A.15.03.04C

- **Licensing Specialist Observed Crumbling to the Ceiling Above the Toilet in the Second Floor Bathroom.**

13A.15.05.01B

- **Licensing Specialist Observed Cat Litter and a Cat's Litter Box at the Top of the Second Floor Steps. Please Place These Items Outside the Child Care Spaces.**

13A.15.05.03A

- **Licensing Specialist Did Not Observe Paper Towels in the Second Floor Bathroom. Corrected During Inspection. Provider Placed Paper Towels in the Bathroom.**

13A.15.05.03B

- **Licensing Specialist Did Not Observe Non Absorbent Paper Present as Specified as Needing to Be Used per the Posted Diapering Procedure.**

13A.15.05.03E(2)

- **Licensing Specialist Observed Many Items Including Attendance Records, a Teddy Bear, Tablets, and Paper on Top of the Diapering Pad.**

13A.15.05.03E(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.