

# Annette Scurry

Hopewell Avenue  
Baltimore, MD

## 2 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: Apr 22, 2025

● 6 Important

Across 2 inspections since 2024, the issues cited most often were Ls Observed That in the Livingroom an Outlet Uncovered and Within Reach of Children (1), LS Observed 1 Emergency Card Needs to Be Updated (1), and LS Observed in the Bathroom 2 Water Stained Tiles (1). None of the 6 findings were critical.

## Inspection Visits

**Apr 22, 2025** 1 Finding ● 1 Important

- **Ls Observed That in the Livingroom an Outlet Uncovered and Within Reach of Children**  
13A.15.05.04B(1)

**May 16, 2024** 5 Findings ● 5 Important

- **LS Observed 1 Emergency Card Needs to Be Updated**  
13A.15.03.04A(3)
- **LS Observed in the Bathroom 2 Water Stained Tiles**  
13A.15.05.04A(3)
- **Ls Observed That an Infant Sleeping in Pack N Play with a Blanket**  
13A.15.05.06F
- **Ls Observed That Provider Only Had 9 Hours of the 12 Hours of Training That Is Required.=**  
13A.15.06.02B(3)
- **Ls Observed That Provider Did Not Have Professional Development Plan**  
13A.15.06.02C(2)(b)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.