

# Catonsville Co-op Preschool

Melvin Avenue  
Baltimore, MD

## 4 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Feb 12, 2026

● 13 Important

Across 4 inspections since 2024, the issues cited most often were LS Observed 18 Children in Room 102 and 11 Children in Room 103 During This Inspection. The Center's Capacity Is Only 20. Room 103 Is Approved as an Auxiliary Space Only but the Center Has Been Using It as a Classroom Today. The Director Also Stated That the Center Has Been Using Room 105. Room 105 (2), Last Fire Inspection for This Center Was Completed on 03/25/2024. Please Correct by Submitting a 2026 Fire Inspection Report. (1), and The Director Has Not Completed the 2025 Basic Health and Safety Update Training. Correct Immediately. (1). None of the 13 findings were critical.

## Inspection Visits

**Feb 12, 2026** 4 Findings ● 4 Important

● **Last Fire Inspection for This Center Was Completed on 03/25/2024. Please Correct by Submitting a 2026 Fire Inspection Report.**

13A.16.05.01B

● **The Director Has Not Completed the 2025 Basic Health and Safety Update Training. Correct Immediately.**

13A.16.06.05C(3)

● **Two Teachers Have Not Completed the 2025 Basic Health and Safety Update Training. Correct Immediately.**

13A.16.06.09C

● **Most of Aide Have Not Completed 2025 Basic Health and Safety Update Training, Correct Immediately.**

13A.16.06.12B(3)

**Sep 29, 2025** 3 Findings ● 3 Important

● **LS Observed 18 Children in Room 102 and 11 Children in Room 103 During This Inspection. The Center's Capacity Is Only 20. Room 103 Is Approved as an Auxiliary Space Only but the Center Has Been Using It as a Classroom Today. The Director Also Stated That the Center Has Been Using Room 105. Room 105**

13A.16.03.07A

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed 29 Children at the Center; 18 Children Were in Room 102 and 11 Children Were in Room 103. The Center's Capacity Is Only 20.**

13A.16.04.01B

- **LS Observed 18 Children in Room 102 and 11 Children in Room 103 During This Inspection. The Center's Capacity Is Only 20. Room 103 Is Approved as an Auxiliary Space Only but the Center Has Been Using It as a Classroom Today. The Director Also Stated That the Center Has Been Using Room 105. Room 105**

13A.16.07.06A

**Feb 19, 2025** 1 Finding ● 1 Important

- **Two Emergency Forms Were Missing Child's Physician Information and One Emergency Form Was Missing Authorized Pick Up Information. Correct Immediately.**

13A.16.03.04C

**Feb 20, 2024** 5 Findings ● 5 Important

- **Last Fire Inspection Was Completed on 9/23/2022. Correct Immediately.**

13A.16.02.03C(4)

- **LS Observed a Volunteer Walking Children From Room 102 Through the Hallway to the Main Entrance Door Which Is the Center's Pick Up Routine. The Child Was Released by This Volunteer to a Pick Up Person Without the Written Attendance Verification. LS Confirmed Parents Sign in Their Children at Drop Of**

13A.16.03.03A(2)

- **LS Observed No Barrier at the Bottom of the Steps. Please Correct by Placing a Barrier at the Bottom of All Outside Steps.**

13A.16.05.12D

- **LS Observed an Unknown Volunteer Who Was Introduced as an Interpreter for a Volunteer Parent. The Interpreter Is a College Intern Hired by the Center.**

**LS Observed a Volunteer Walking Children From Room 102 Through the Hallway to the Main Entrance Door Which Is the Center's Pick Up Routine. The Chil**

13A.16.07.06A

- **LS Observed a Volunteer Walking Children From Room 102 Through the Hallway to the Main Entrance Door Which Is the Center's Pick Up Routine. The Director to Submit a New Pick Plan Including Information Regarding Children Not Being Left Alone with Volunteers.**

13A.16.08.01A(2)(a)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.