

Tia Green

Alyssa Lane
Waldorf, MD

4 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Apr 29, 2026

● 13 Important

Across 4 inspections since 2024, the issues cited most often were Provider Did Not Complete the 2024 Basic Health and Safety Training. For Correction, Please Submit a Copy of the 24 Basic Health and Safety Training Certificate to the Licensing Specialist. (2), At the Time of the Mandatory Inspection There Was One Child Missing the Annual Update to the Emergency Form. For Correction Please Submit a Copy of the Updated Emergency Form to the Licensing Specialist. (1), and Durning the Mandatory Inspection the Provider Was Only Licensed for 1 Child Under the Age of 2 Due to the Provider's Child Being Under 2 Years Until March 6, 2026, but Has 2 Children Under the Age of 2 Years Enrolled and Present. The Provider's Child Is Now 2 Years of Age and the Licensing Specialis (1). None of the 13 findings were critical.

Inspection Visits

Apr 29, 2026 3 Findings ● 3 Important

● **At the Time of the Mandatory Inspection There Was One Child Missing the Annual Update to the Emergency Form. For Correction Please Submit a Copy of the Updated Emergency Form to the Licensing Specialist.**

13A.15.03.04A(3)

● **Durning the Mandatory Inspection the Provider Was Only Licensed for 1 Child Under the Age of 2 Due to the Provider's Child Being Under 2 Years Until March 6, 2026, but Has 2 Children Under the Age of 2 Years Enrolled and Present. The Provider's Child Is Now 2 Years of Age and the Licensing Specialis**

13A.15.04.03B

● **At the Time of the Mandatory Inspection the Gate at the Top of the Stairs Outside Was Broken, and There Was No Gate Present at the Bottom of the Stairs Inside. For Correction Please Submit a Photo of Both Gates in Place.**

13A.15.05.04B(2)

Aug 19, 2025 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of the Conversion Inspection There Were Six Children Missing Part 1 and Part 2 of the Health Inventory Assessment, Six Children Missing the 1st Lead Test, Five Children Missing the 2nd Lead Test, and Two Children Missing Documentation of Receiving Immunizations. For Correction Please Sub**
13A.15.03.02D(2)
- **At the Time of the Conversion Inspection There Was No Documentation That the Children's Parents Were Given or Were Advised How to Obtain Information on the Consumer Education Pamphlet. For Correction Please Make Sure That All Parents Receive the Consumer Pamphlet or Were Advised How to Receive It An**
13A.15.03.03E
- **At the Time of the Conversion Inspection the Provider Did Not Have Multiple Months of the Fire and Emergency Drills Completed. For Correction Please Conduct a Fire Drill for August and September 2025, Fill Out the Fire Drill Log and Send a Copy to the Licensing Specialist.**
13A.15.03.03F
- **At the Time of the Conversion Inspection One Child Was Missing Documentation of Updated Immunizations, Two Children Were Missing the Doctor Information on the Emergency Form. For Correction Please Send Copies of the Needed Documentation to the Licensing Specialist.**
13A.15.03.04C
- **At the Time of the Conversion Inspection the Provider Was Missing a Flashlight, Paper Towels, Safety Pins, Adhesive Tape, Tweezers, Paper/plastic Bag and a Whistle From the First Aid Kit. For Corrections Please Send the Licensing Specialist Photos of the Missing Items in the First Aid Kit.**
13A.15.10.01H(1)

Aug 8, 2025 4 Findings ● 4 Important

- **At the Time of the Mandatory Inspection There Were Three Children Without an Emergency Form. For Correction Please Have the Parents Fill Out the Emergency Form and Send a Copy to the Licensing Specialist.**
13A.15.03.02A
- **Provider Did Not Complete the 2024 Basic Health and Safety Training. For Correction, Please Submit a Copy of the 24 Basic Health and Safety Training Certificate to the Licensing Specialist.**
13A.15.06.02B(1)
- **At the Time of the Mandatory Inspection the Provider Only Completed 14 Hours of the 18 Hours of Continued Training for 2023-2024. For Correction Please Complete the 4 Hours of Training for 2023-2024 and 12 Hours of Training for 2024-2025, and Send a Copy of the Certificates to the Licensing Speciali**
13A.15.06.02B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of the Mandatory Inspection the Provider's Basic First and CPR Certification Was One Month Past the Expiration Date. For Correction Please Take the Basic First Aid and CPR Course and Submit a Copy of the Updated Certification.**

13A.15.06.02D(1)

Aug 6, 2024 1 Finding ● 1 Important

- **The Provider Was Unable to Locate Her Certificate of Registration. Please Forward a Photo to the OCC Displaying That the Certificate of Registration Has Been Posted in a Location That Can Easily Be Seen and Read by Parents.**

13A.15.02.01D

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.