

Natalie Upton

Niner Road
Finksburg, MD

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Dec 3, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were The Provider Informed the LS That She Did the Emergency Drills but Did Not Document Them. (1), There Were Two Files That Did Not Contain Documentation of Immunizations. (1), and There Were Two Christmas Extension Cords That Had Two Outlets That Were Not Capped. (1). None of the 5 findings were critical.

Inspection Visits

Dec 3, 2025 5 Findings ● 5 Important

● **The Provider Informed the LS That She Did the Emergency Drills but Did Not Document Them.**
13A.15.03.03F

● **There Were Two Files That Did Not Contain Documentation of Immunizations.**
13A.15.03.04C

● **There Were Two Christmas Extension Cords That Had Two Outlets That Were Not Capped.**
13A.15.05.04B(1)

● **There Was a Pack and Play That Had a Mattress in It.**
13A.15.05.06A

● **The First Aid Kit Did Not Contain Adhesive Tape.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.