

Naureen Shahid

Tulip Poplar Court
Severn, MD

2 Inspection Visits Since 2023 · 7 Findings

Most recent inspection: Jul 17, 2025

● 7 Important

Across 2 inspections since 2023, the issues cited most often were Provider Did Not Have Disaster Plan During Time of Inspection. Please Submit to OCC by 07/24/2025 (2), Water Temp Exceeds 120 Degrees. Water Temp Was 121 and Still Climbing. Water Also Fills Up in Sink. Please Correct and Submit Corrections to OCC 07/24/2025 (1), and Not Enough Activities and Materials for Age Group of Children. Please Submit Corrections to OCC by 07/24/2025 (1). None of the 7 findings were critical.

Inspection Visits

Jul 17, 2025 5 Findings ● 5 Important

- **Water Temp Exceeds 120 Degrees. Water Temp Was 121 and Still Climbing. Water Also Fills Up in Sink. Please Correct and Submit Corrections to OCC 07/24/2025**

13A.15.05.01E

- **Not Enough Activities and Materials for Age Group of Children. Please Submit Corrections to OCC by 07/24/2025**

13A.15.09.02A(2)

- **Not Enough Outdoor Toys for Outside**

13A.15.09.02B

- **Provider Did Not Have Disaster Plan During Time of Inspection. Please Submit to OCC by 07/24/2025**

13A.15.10.01A(1)

- **The Provider Did Not Have Disaster Plan During Time of Inspection. Please Submit Corrections by 07/24/2025**

13A.15.10.01A(4)

Jul 13, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Children Y.A Is Missing Lead 1, Child LL Is Missing Lead 1, Child TT Is Missing Lead 2, Children NH and LH Both Need Lead Test 1 and 2, Child AC Is Missing Lead 1 and 2**

13A.15.03.04C

- **Cabinet Under the Sink Unlocked with Cleaning Supplies Underneath. Was Corrected During Time of Inspection**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.