

Keaire Ford

Halcyon Avenue
Baltimore, MD

3 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Apr 30, 2026

● 13 Important

Across 3 inspections since 2024, the issues cited most often were One Emergency Card Did Not Contain Complete Physician Contact Information and One Child Did Not Have an Emergency Card. (3), LS Observed Multiple (5) Files Missing Health Inventories, Immunizations, and Contracts. (2), and Ls Observed Uncovered Food and Dirty Shelves in the Refrigerator. The Stove Needs to Be Clear of Accumulated Grease and Food Pieces. (2). None of the 13 findings were critical.

Inspection Visits

Apr 30, 2026 3 Findings ● 3 Important

● **One Emergency Card Did Not Contain Complete Physician Contact Information and One Child Did Not Have an Emergency Card.**

13A.15.03.04A(3)

● **Provider Was Unable to Produce Her Current CPR/ First Aid Information in Her Cell Phone. She 24 Hours to Provide Documentation to OCC.**

13A.15.06.02D(1)

● **TheLS Observed Cleaners in the Bathroom Cabinet Accessible to Children; Corrected During Inspection**

13A.15.10.02

May 2, 2025 6 Findings ● 6 Important

● **LS Observed Two Files Without a Signed Service Agreement.**

13A.15.03.03A

● **Three Emergency Cards Did Not Have Required Physician Contact Information**

13A.15.03.04A(3)

● **LS Observed Multiple (5) Files Missing Health Inventories, Immunizations, and Contracts.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Ls Observed Uncovered Food and Dirty Shelves in the Refrigerator. The Stove Needs to Be Clear of Accumulated Grease and Food Pieces.**

13A.15.05.03A

- **Provider Has Not Completed Required Basic Health and Safety Training**

13A.15.06.02B(1)

- **The First Aid Kit Did Not Contain a Flashlight.**

13A.15.10.01H(1)

Apr 30, 2024 4 Findings ● 4 Important

- **One Child Was Present Without Any Required Documentation**

13A.15.03.02A

- **Five Children Were Present. One Child Had No Required Paperwork. One Child Had No Emergency Card. One Emergency Card Did Not Have Complete Contact Information.**

13A.15.03.04A(1)

- **One Child Was Present with No Required Paperwork.**

13A.15.03.04C

- **LS Observed Juice Spilling Down Three Shelves in the Refrigerator; Corrected During Inspection.**

13A.15.05.03A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.