

Danielle Griffith

Castle Green Cir
Mount Airy, MD

1 Inspection Visit Since 2026 · 3 Findings

Most recent inspection: Mar 4, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were There Was an Emergency Form That Did Not Have the Name of the Physician, Telephone Number and Address. (1), There Was a Napping Child That Was in a Room Separate From the Basement. The Door Was Closed. The Provider Opened the Door During the Inspection. (1), and There Was a Small Trampoline in the Basement. The Trampoline Was Removed During the Inspection. (1). None of the 3 findings were critical.

Inspection Visits

Mar 4, 2026 3 Findings ● 3 Important

- **There Was an Emergency Form That Did Not Have the Name of the Physician, Telephone Number and Address.**

13A.15.03.04A(1)

- **There Was a Napping Child That Was in a Room Separate From the Basement. The Door Was Closed. The Provider Opened the Door During the Inspection.**

13A.15.08.01D(3)

- **There Was a Small Trampoline in the Basement. The Trampoline Was Removed During the Inspection.**

13A.15.10.03D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.