

Chesapeake Christian Learning Center

Weston Woods Drive
Pasadena, MD

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Sep 23, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Licensing Specialist Observed Urinal Area in Boys Bathroom That Was Roped Off From Use, and the Closet in Two Year Old Classroom That Had Portions of the Drywall Cut Out. Facility Needs to Submit Photographs That the Areas Have Been Remediated and Repaired. (2), Licensing Specialist Observed Several Children Missing Recorded Lead Testing Results and or Updated Lead Testing at 2 Years Old. Facility to Submit a Written Letter of Correction That All Children Enrolled Have Completed and or Updated Lead Certificates. (1), and Licensing Specialist Observed Several Staff Files That Did Not Include Verification of Age. Facility to Submit a Letter of Corrections That This Information Has Been Added to All Staff Files. (1). None of the 5 findings were critical.

Inspection Visits

Sep 23, 2025 2 Findings ● 2 Important

- **Licensing Specialist Observed Urinal Area in Boys Bathroom That Was Roped Off From Use, and the Closet in Two Year Old Classroom That Had Portions of the Drywall Cut Out. Facility Needs to Submit Photographs That the Areas Have Been Remediated and Repaired.**

13A.16.05.01A(1)

- **Licensing Specialist Confirmed with Child Care Teacher That Mold Was Recently Found in Two Year Old Closet and That They Believe That the Urinals in the Boys Bathroom May Have Been Leaking. Facility Needs to Submit Receipts That the Potential Leak Has Been Repaired and That the Mold Has Been Removed**

13A.16.05.01A(2)

Jun 20, 2024 3 Findings ● 3 Important

- **Licensing Specialist Observed Several Children Missing Recorded Lead Testing Results and or Updated Lead Testing at 2 Years Old. Facility to Submit a Written Letter of Correction That All Children Enrolled Have Completed and or Updated Lead Certificates.**

13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Several Staff Files That Did Not Include Verification of Age. Facility to Submit a Letter of Corrections That This Information Has Been Added to All Staff Files.**

13A.16.03.05C

- **Licensing Specialist Observed Several Staff Members Who Have Not Had an Updated Medical Evaluation Within 5 Years From Their Previous Medical Evaluation Date. Facility to Submit Updated Medical Evaluations for Those Staff Members, Including Substitutes.**

13A.16.06.04A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.