

Breinn DeFrancesco

Arrowhead Rd
Pikesville, MD

3 Inspection Visits Since 2024 - 10 Findings

Most recent inspection: Apr 21, 2026

- 10 Important

Across 3 inspections since 2024, the issues cited most often were The LS Observed That L.M Needs Hours and Days of Attendance Added to Emergency Form.

The LS Observed That G.T Needs Hours and Days of Attendance Added to Emergency Form.

The Provider Corrected This on Site During the Inspection. (2), The LS Noticed That the Barbecue Grill Wasn't Covered. The LS Covered the Grill Correcting This Non-compliance on Site. (2), and The LS Observed That the Provider Needed to Review and Sign Her Emergency Preparedness Plan. This Non-compliance Was Corrected During the Inspection. (2). None of the 10 findings were critical.

Inspection Visits

Apr 21, 2026 7 Findings ● 7 Important

- **The LS Observed That H. B and LM Are Missing h1 and h2 LC Is Missing Immunizations**

13A.15.03.02A

- **N. R**
L.C
L.M
G.T

D.E These Students Are Missing Lead Screening.

13A.15.03.02B

- **The LS Observed That L.M Needs Hours and Days of Attendance Added to Emergency Form. The LS Observed That G.T Needs Hours and Days of Attendance Added to Emergency Form. The Provider Corrected This on Site During the Inspection.**

13A.15.03.04A(3)

- **The LS Observed That the Provider Was Missing Items From Six Student Files: Immunization Records, Lead Testing, Health Inventory One and Two**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The LS Noticed That the Barbecue Grill Wasn't Covered. The LS Covered the Grill Correcting This Non-compliance on Site.**

13A.15.05.05A

- **The LS Observed That the Provider Needed to Review and Sign Her Emergency Preparedness Plan. This Non-compliance Was Corrected During the Inspection.**

13A.15.10.01A(4)

- **The LS Observed That the Provider Needs a Whistle and Fragrance Free Soap Added to Her Kit. The Provider Will Purchase the Items and Send the LS a Picture Correcting This Non-compliance on Site.**

13A.15.10.01H(1)

Apr 15, 2025 2 Findings ● 2 Important

- **The LS Observed That Emergency Forms Need to Be Updated.**

13A.15.03.04A(3)

- **The Barbecue Grill Needs to Be Covered and the Provider Needs to Replace the Gate.**

13A.15.05.05A

Apr 19, 2024 1 Finding ● 1 Important

- **The LS Observed That the Provider Doesn't Have Fire/disaster Drill Practice Documentation. The Provider Will Email the LS Documentation of Drills Conducted Thus Far.**

13A.15.10.01A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.