

The Bethesda Montessori School

Clarendon Rd
Bethesda, MD

2 Inspection Visits Since 2023 · 6 Findings

Most recent inspection: Nov 18, 2025

● 6 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed 2 Instances of Uncapped Electrical Outlets That Can Potentially Be Accessed by Children. (2), LS Observed 2 Instances of Children with Expired Medications. (1), and Licensing Specialist Observed 4 Instances of Children Who Were Missing Information on Their Lead Forms (Either a Second Test, or Just Otherwise Blank). Facility Is Asked to Review the Children's Files and Follow Up with the Parents. (1). None of the 6 findings were critical.

Inspection Visits

Nov 18, 2025 2 Findings ● 2 Important

- **LS Observed 2 Instances of Uncapped Electrical Outlets That Can Potentially Be Accessed by Children.**
13A.16.10.04F
- **LS Observed 2 Instances of Children with Expired Medications.**
13A.16.11.04E(1)(c)

Oct 31, 2023 4 Findings ● 4 Important

- **Licensing Specialist Observed 4 Instances of Children Who Were Missing Information on Their Lead Forms (Either a Second Test, or Just Otherwise Blank). Facility Is Asked to Review the Children's Files and Follow Up with the Parents.**
13A.16.03.04E
- **Licensing Specialist Observed That the First Aid Kit Was Missing a Triangular Bandage. Facility Is Asked to Acquire One, and Add It to the First Aid Kit.**
13A.16.10.02E
- **Licensing Specialist Observed Instances of Uncapped Electrical Outlets in Rooms That Were Not Being Used by Children at the Time. Facility Is Asked to Examine All Outlets and Make Sure They Are Properly Capped.**
13A.16.10.04F

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed That the Facility Does Not Serve Milk with Meals and Snacks. Facility States That Very Few Children Drink Milk, and It Goes Bad Quickly. Facility Is Asked to Maintain a Backup Supply.**

13A.16.12.01A(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.