

Center for Creative Children

National Business Pkwy
Annapolis Junction, MD

1 Inspection Visit Since 2025 - 5 Findings

Most recent inspection: Nov 18, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Licensing Specialist Observed That the Bathroom Sink Was Leaking in Room 8 at the Time of Inspection. The Facility Had Placed a Container Below the Sink to Catch the Dripping Water. Facility Needs to Have the Leak Repaired and Send Receipt to Licensing Specialist That the Leaking Sink Has Been Repai (1), Licensing Specialist Observed That the Director Only Completed Two Hours of Training Within the Past Year of Employment. Facility Will Need to Submit Twelve Hours of Training Certificates for the Director and Their Completed Record of Professional Development Form. (1), and Licensing Specialist Observed That the Child Care Preschool Teachers Only Completed Two Hours of Training Within the Past Year of Employment. Facility Will Need to Submit Twelve Hours of Training Certificates for the Preschool Teachers and Their Completed Record of Professional Development Form. (1). None of the 5 findings were critical.

Inspection Visits

Nov 18, 2025 5 Findings ● 5 Important

- **Licensing Specialist Observed That the Bathroom Sink Was Leaking in Room 8 at the Time of Inspection. The Facility Had Placed a Container Below the Sink to Catch the Dripping Water. Facility Needs to Have the Leak Repaired and Send Receipt to Licensing Specialist That the Leaking Sink Has Been Repai**
13A.16.05.01A(1)
- **Licensing Specialist Observed That the Director Only Completed Two Hours of Training Within the Past Year of Employment. Facility Will Need to Submit Twelve Hours of Training Certificates for the Director and Their Completed Record of Professional Development Form.**
13A.16.06.05C(1)
- **Licensing Specialist Observed That the Child Care Preschool Teachers Only Completed Two Hours of Training Within the Past Year of Employment. Facility Will Need to Submit Twelve Hours of Training Certificates for the Preschool Teachers and Their Completed Record of Professional Development Form.**
13A.16.06.09C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed That School-age Qualified Teacher Only Completed Two Hours of Training Within the Past Year of Employment. Facility Will Need to Submit Twelve Hours of Training Certificates for the School-age Qualified Teacher and Their Completed Record of Professional Development Form**

13A.16.06.10C(1)

- **Licensing Specialist Observed That Aides Only Completed Two Hours of Training Within the Past Year of Employment. Facility Will Need to Submit Six Hours of Training Certificates for the Aides and Their Completed Record of Professional Development Form.**

13A.16.06.12B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.