

## Jeane Jordan

Winding Woods Way  
Clarksburg, MD

### 2 Inspection Visits Since 2023 · 7 Findings

Most recent inspection: Nov 5, 2025

● 7 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed No Evidence of Part 1 of the Health Assessment for One (1) Child in Car. Provider to Submit a Written Statement Verifying That Part 1 of the Health Assessment Has Been Obtained and Is Accessible in the Child's File. (2), LS Observed No Evidence of the Second Lead Test Information for One (1) Child in Care. Provider to Submit a Written Statement Verifying That the Lead Information Has Been Obtained and Is Accessible in the Child's File. (1), and LS Observed No Evidence of a Complete Address Listed for the Emergency Contact. Provider to Submit a Written Statement Verifying That the Emergency Card Has Been Completed, Obtained, and Accessible in the Child File. (1). None of the 7 findings were critical.

### Inspection Visits

Nov 5, 2025 3 Findings ● 3 Important

- **LS Observed No Evidence of Part 1 of the Health Assessment for One (1) Child in Car. Provider to Submit a Written Statement Verifying That Part 1 of the Health Assessment Has Been Obtained and Is Accessible in the Child's File.**

13A.15.03.02A

- **LS Observed No Evidence of the Second Lead Test Information for One (1) Child in Care. Provider to Submit a Written Statement Verifying That the Lead Information Has Been Obtained and Is Accessible in the Child's File.**

13A.15.03.02B

- **LS Observed No Evidence of a Complete Address Listed for the Emergency Contact. Provider to Submit a Written Statement Verifying That the Emergency Card Has Been Completed, Obtained, and Accessible in the Child File.**

13A.15.03.04A(1)

Nov 21, 2023 4 Findings ● 4 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed 10 Children That Were Not Up to Date on Their Lead Screenings. Provider to Share Information with Parents and Submit Written Verification That All Children Have Received Appropriate Forms and All Lead Tests Have Been Completed and Are Maintained in the Child Files.**  
13A.15.03.02A
- **LS Observed the Water Temperature at 134.1 Degrees. Provider Adjusted the Water Heater Temperature, Which Was 119.6 Degrees at the End of the Inspection.**  
13A.15.05.01E
- **LS Observed No Evidence That of Milk Being Provided to the Children in Care. Provider Placed Milk in the Refrigerator to Be Used for the Children During Meal Time.**  
13A.15.12.01B
- **LS Observed No Evidence of Written Requests by Parents to Otherwise Order No Milk, or Substitute, Be Served to the Children. Provider to Submit Photographic Evidence of Written Parent Requests for Substitutes for Children's Milk.**  
13A.15.12.01D

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.