

# Mary Wallace

35th Street  
Rosedale, MD

## 3 Inspection Visits Since 2023 - 12 Findings

Most recent inspection: Dec 11, 2025

● 12 Important

Across 3 inspections since 2023, the issues cited most often were LS Observed One Child's Emergency Form Missing the Physicians Information. (2), LS Observed Several Piles of Dog Feces in the Outdoor Play Area in Need of Cleaning. (2), and LS Did Not Observe a Lock on the Gate That Leads to the Outdoor Pool. Provider Also Confirmed That There Is No Alarm or Sensor in the Pool. LS Observed a Trampoline in the Outdoor Play Area. LS Observed Several Piles of Dog Feces in the Outdoor Play Area. LS Observed a Broken Fan Being Stored in The (2). None of the 12 findings were critical.

## Inspection Visits

**Dec 13, 2024** 5 Findings ● 5 Important

● **LS Observed One Child's Emergency Form Missing the Physicians Information.**

13A.15.03.04A(1)

● **LS Observed Several Piles of Dog Feces in the Outdoor Play Area in Need of Cleaning.**

13A.15.05.03A

● **LS Did Not Observe a Lock on the Gate That Leads to the Outdoor Pool. Provider Also Confirmed That There Is No Alarm or Sensor in the Pool. LS Observed a Trampoline in the Outdoor Play Area. LS Observed Several Piles of Dog Feces in the Outdoor Play Area. LS Observed a Broken Fan Being Stored in The**

13A.15.05.05A

● **LS Did Not Observe a Lock on the Gate to the Pool. Provider Also Stated That There Is No Alarm or Sensor in the Pool.**

13A.15.05.05C

● **LS Observed a Trampoline in the Outdoor Play Area Accessible to Children in Care.**

13A.15.10.03D(2)

**Dec 9, 2024** 6 Findings ● 6 Important

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed One Child's Emergency Form Missing the Child's Physician Information.**  
13A.15.03.04A(1)
- **LS Observed Several Piles of Dog Feces in the Outdoor Play Area.**  
13A.15.05.03A
- **LS Observed That There Was Not a Lock on the Outdoor Play Area Pool nor an Alarm or Sensor in the Pool. LS Observed a Trampoline in the Outdoor Play Area. LS Observed Several Piles of Dog Feces in the Outdoor Play Area in Need of Cleaning. LS Observed Chemicals on an Outdoor Play Area Table Accessib**  
13A.15.05.05A
- **LS Observed That There Was Not a Lock on the Outdoor Play Area Pool nor an Alarm or Sensor in the Pool.**  
13A.15.05.05C
- **LS Observed Chemicals on an Outdoor Play Area Table Accessible to Children in Care.**  
13A.15.10.02
- **LS Observed a Trampoline in the Outdoor Play Area.**  
13A.15.10.03D(2)

**Dec 15, 2023** 1 Finding ● 1 Important

- **LS Observed One Child Missing a Lead Test results.  
LS Observed Two Children Missing the Second Lead Testing Results.**  
13A.15.03.04C

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.