

Embark Education

B Sparks Valley Road
Sparks, MD

2 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Jul 15, 2025

● 14 Important

Across 2 inspections since 2024, the issues cited most often were LS Did Not Observe Parental Permission for Two Children's Medications. (2), LS Did Not Observe an Emergency Form for One Enrolled Child. The Center Has Electronic Emergency Contact Information for the Child. (1), and LS Did Not Observe an Emergency Form for One Enrolled Child. The Center Has Electronic Emergency Contact Information for the child.

LS Observed One Child's Emergency for Missing the Annual Parental update.

LS Observed Two Children's Emergency Forms Missing the Child's Physician Information. (1). None of the 14 findings were critical.

Inspection Visits

Jul 15, 2025 11 Findings ● 11 Important

- **LS Did Not Observe an Emergency Form for One Enrolled Child. The Center Has Electronic Emergency Contact Information for the Child.**

13A.16.03.02A

- **LS Did Not Observe an Emergency Form for One Enrolled Child. The Center Has Electronic Emergency Contact Information for the child.**

LS Observed One Child's Emergency for Missing the Annual Parental update.

LS Observed Two Children's Emergency Forms Missing the Child's Physician Information.

13A.16.03.04C

- **LS Observed One Staff Person Missing the Orientation of COMAR.**

13A.16.06.02

- **LS Observed Chemicals in a Cabinet Under a Sink in One Classroom That Was Not Secured with a Safety Device. This Was Immediately Corrected During the Inspection When the Chemicals Were Moved Out of Reach of the Children and Later a Safety Lock Was Placed on the Cabinet.**

13A.16.07.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Two Children's Infant/toddler Activity Plans Not Reevaluated Every 3 Months. This Was Corrected During the inspection.**
LS Observed One Child's Infant/toddler Activity Plan Not Dated. This Was Corrected During the Inspection.
13A.16.09.02C
- **LS Observed Chemicals in a Cabinet Under a Sink in One Classroom That Was Not Secured with a Safety Device. This Was Immediately Corrected During the Inspection When the Chemicals Were Moved Out of Reach of the Children and Later a Safety Lock Was Placed on the Cabinet.**
13A.16.10.04A
- **LS Did Not Observe Parental Permission for Two Children's Medications.**
13A.16.11.04A(1)(a)
- **LS Did Not Observe Approval From a Licensed Health Practitioner to Administer Medication for 2 Children.**
13A.16.11.04A(1)(b)
- **Center Confirms That Parents Provide All Meals and Snacks for Children.**
13A.16.12.01B(1)
- **Center Confirms That Parents Provide All Meals and Snacks for Children and the Center Operates for 10 Consecutive Hours.**
13A.16.12.01C
- **LS Did Not Observe a Posted Weekly Planned Menu of Foods and Beverages Furnished by the Center. This Was Corrected During the Inspection When the Director Posted the Weekly Menu.**
13A.16.12.01E(1)

Jul 16, 2024 3 Findings ● 3 Important

- **LS Did Not Observe a Current Staffing Pattern in Room P3. This Was Corrected During the Inspection When the Director Posted the Current Staffing Pattern.**
13A.16.03.05B
- **LS Observed an Inoperable Toilet in One Girls Restroom.**
13A.16.05.01A(1)
- **LS Observed Three Aide Staff Missing the Required Aide Orientation.**
13A.16.06.12C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.