

Tiffany Whiteman

Cherry Street
Saint Leonard, MD

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Sep 29, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were The Playset in the Outdoor Play Area Has Several Entrapment Issues. When Discussed with the Applicant and Her Husband, They Both Reported That They Could Easily Eliminate the Entrapment Areas. Please Eliminate the Entrapment Issues on the Playset and Send a Picture to OCC to Show This Modification (1) and One Out of the Two Pack-n-plays Does Not Have a Snugly Fitting Sheet. Please Ensure Each Pack-n-play Has Snugly Fitting Sheets. Send a Picture of Both Snugly Fitting Sheets to OCC for the Correction of This Non-compliance. (1). None of the 2 findings were critical.

Inspection Visits

Sep 29, 2025 2 Findings ● 2 Important

- **The Playset in the Outdoor Play Area Has Several Entrapment Issues. When Discussed with the Applicant and Her Husband, They Both Reported That They Could Easily Eliminate the Entrapment Areas. Please Eliminate the Entrapment Issues on the Playset and Send a Picture to OCC to Show This Modification**

13A.15.05.05A

- **One Out of the Two Pack-n-plays Does Not Have a Snugly Fitting Sheet. Please Ensure Each Pack-n-play Has Snugly Fitting Sheets. Send a Picture of Both Snugly Fitting Sheets to OCC for the Correction of This Non-compliance.**

13A.15.05.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.