

LaShawn Brawley

Holly Way
Lusby, MD

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 25, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were The Provider Did Not Complete the 2025 Basic Health and Safety Update Until After the Due Date of 12/31/2025. However, She Did Complete the Course on 01/07/20226 and Submitted the Certificate of Completion to OCC. Therefore, This Non-compliance Is Now Corrected. (2), There Is No Evidence That a Boy, Who Is Currently 23 Months Old, Has Had a Blood Lead Test. Children Must Have a Blood Lead Test at 12 and 24 Months of Age. Please Inform the Parent of This So That They May Obtain the Results of Previously Performed Tests or Have the Testing Performed and Then Sub (1), and During a Review of Children's Records, It Was Found That Two Children Need a Blood Lead Test. Please Obtain the Results of the Blood Lead Test or Provide Written Proof of Notification to the Parents of the Need for Blood Lead Testing for the Correction of This Portion of This Non-compliance. It Wa (1). None of the 5 findings were critical.

Inspection Visits

Feb 25, 2026 2 Findings ● 2 Important

- **There Is No Evidence That a Boy, Who Is Currently 23 Months Old, Has Had a Blood Lead Test. Children Must Have a Blood Lead Test at 12 and 24 Months of Age. Please Inform the Parent of This So That They May Obtain the Results of Previously Performed Tests or Have the Testing Performed and Then Sub**
13A.15.03.02B
- **The Provider Did Not Complete the 2025 Basic Health and Safety Update Until After the Due Date of 12/31/2025. However, She Did Complete the Course on 01/07/20226 and Submitted the Certificate of Completion to OCC. Therefore, This Non-compliance Is Now Corrected.**
13A.15.06.02B(1)

Feb 14, 2025 1 Finding ● 1 Important

- **The Provider Has Not Completed MSDE's 2024 Basic Health and Safety Course That Was Due to Be Completed by 12/31/2024. Licensing Specialist Will Send the Provider the Link Needed in Order to Complete the Course. Please Complete the Course as Soon as Possible and Forward the Training Certificate To**
13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Feb 12, 2024 2 Findings ● 2 Important

- **During a Review of Children's Records, It Was Found That Two Children Need a Blood Lead Test. Please Obtain the Results of the Blood Lead Test or Provide Written Proof of Notification to the Parents of the Need for Blood Lead Testing for the Correction of This Portion of This Non-compliance. It Wa**
13A.15.03.04C

- **Provider Found One Copy of Her Emergency Disaster Plan. This Copy of Her Emergency Disaster Plan Has Not Been Updated Since Its Creation in 2010. This Emergency Disaster Plan Must Be Reviewed, Updated as Necessary, Initialed and Dated On, at Least, a Yearly Basis. Provider Reviewed and Initialed**
13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.