

Notosha Duckett

Duncannon Road
Waldorf, MD

2 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: Feb 19, 2026

● 6 Important

Across 2 inspections since 2024, the issues cited most often were At the Time of the Full Inspection There Were 5 Children That Were Missing the Annual Update. For Correction Please Have the Parents Update the Emergency Form and Send a Copy to the Licensing Specialist. (2), At the Time of the Full Inspection One Child Was Missing Documentation of the Health Inventory Part 2. For Correction Please Submit a Copy to the Licensing Specialist. (2), and At the Time of the Full Inspection the Provider Could Not Access the Calendar for the Fire/emergency Drills. For Correction Please Submit a Copy of the Fire/emergency Drill Log. (1). None of the 6 findings were critical.

Inspection Visits

Feb 19, 2026 4 Findings ● 4 Important

● **At the Time of the Full Inspection the Provider Could Not Access the Calendar for the Fire/emergency Drills. For Correction Please Submit a Copy of the Fire/emergency Drill Log.**

13A.15.03.03F

● **At the Time of the Full Inspection There Were 5 Children That Were Missing the Annual Update. For Correction Please Have the Parents Update the Emergency Form and Send a Copy to the Licensing Specialist.**

13A.15.03.04A(3)

● **At the Time of the Full Inspection One Child Was Missing Documentation of the Health Inventory Part 2. For Correction Please Submit a Copy to the Licensing Specialist.**

13A.15.03.04C

● **At the Time of the Full Inspection the Provider Was Missing a Working Flashlight, Thick Gauze Pad, Paper Towels and Liquid Soap in the First Aid Kit. For Correction Please Send a Photo of the Missing Supplies.**

13A.15.10.01H(1)

Feb 16, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During the Full Inspection 3 Children Needed an Annual Update to the Emergency Form. For Correction Please Submit a Copy of the Updated Emergency Form.**

13A.15.03.04A(3)

- **During the Full Inspection There Were 2 Children That Were Missing Documentation of Having the Lead Blood Test Done. For Correction Please Submit Documentation of the Completed Lead Blood Test. One Child Was Missing Documentation of the 2nd MMR Vaccine. For Correction Please Submit the Updated Vacc**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.