

Gilma Rivera

Ferrara Dr
Silver Spring, MD

4 Inspection Visits Since 2023 - 8 Findings

Most recent inspection: Feb 24, 2026

● 8 Important

Across 4 inspections since 2023, the issues cited most often were The Back of the Emergency Forms to to Be Completed or N/A (3), Provider Is Missing Lead Testing for 2 of the Children Enrolled (2), and Specialist Observed 9 Hours of Training for 2022- 20223. Provider Did Not Have 12 Hours or Training for 2023- 2024. (1). None of the 8 findings were critical.

Inspection Visits

Feb 24, 2026 2 Findings ● 2 Important

- **Provider Is Missing Lead Testing for 2 of the Children Enrolled**
13A.15.03.02B
- **The Back of the Emergency Forms to to Be Completed or N/A**
13A.15.03.04A(1)

Feb 10, 2025 1 Finding ● 1 Important

- **Emergency Form Is Missing Source of Health Care.**
13A.15.03.04A(1)

Jan 26, 2024 3 Findings ● 3 Important

- **Provider Has 2 Children in Care That Need Lead Testing.**
13A.15.03.02B
- **Emergency Forms Need to Be Update by the Parent on an Annual Basis.**
13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Specialist Observed 9 Hours of Training for 2022- 20223. Provider Did Not Have 12 Hours or Training for 2023- 2024.**

13A.15.06.02B(3)

Aug 3, 2023 2 Findings ● 2 Important

- **LS Observed a Ripped Diaper Changing Mat. The Provider Is to Replace the Pad Since It Is Ripped and Now Considered Porous. Provider Is to Send Proof of Correction to OCC ASAP.**

13A.15.05.03E(2)

- **LS Observed Missing Gate at Bottom of Stairs Leading Kitchen to Second Level, Top of Stairs Leading From Kitchen to Living and Bottom of Stairs Leading From Living Room to Kitchen. Provider States She Had Gates a Long Time Ago and Didn't Know She Still Needed Them. LS Explained That Tension Gates Ca**

13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.