

## Marlo Robinson

Coralberry Court  
Baltimore, MD

### 2 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: Jul 2, 2025

● 14 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed an Emergency Form Missing From a Child's File. (3), Licensing Specialist Did Not Observe a Barrier Secured at the Bottom of the First Floor Steps. Please Secure a Gate So That Children Cannot Potentially Go Up Steps and Fall Down. (2), and LS Observed Provider Did Not Have 12 Continued Training Hours for the Year. (1). None of the 14 findings were critical.

### Inspection Visits

**Jul 2, 2025** 2 Findings ● 2 Important

- **LS Observed an Emergency Form Missing From a Child's File.**  
13A.15.03.04A(1)
- **LS Observed Provider Did Not Have 12 Continued Training Hours for the Year.**  
13A.15.06.02B(3)

**Jun 27, 2024** 12 Findings ● 12 Important

- **Licensing Specialist Observed Enrolled Children Present Without the Health Inventory I and II Completed.**  
13A.15.03.02A
- **Licensing Specialist Observed Enrolled Children Present Without Appropriate Evidence of Blood Lead Testing.**  
13A.15.03.02B
- **Licensing Specialist Did Not Observe Fire Drills Recorded From January 2024 to Present.**  
13A.15.03.03F
- **Licensing Specialist Did Not Observe the 2023 Basic Health and Safety Update Training Completed.**  
13A.15.03.03G

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Was Not Able to Observe Attendance Records Verified by Parents for the Last Two Years.**  
13A.15.03.03H
- **Licensing Specialist Observed the Physicians Information Missing From Emergency Forms.**  
13A.15.03.04A(1)
- **Licensing Specialist Did Not Observe Emergency Forms Updated Within the Last Year.**  
13A.15.03.04A(3)
- **Licensing Specialist Did Not Observe Complete Health Inventory Is, Health Inventory IIs, nor Appropriate Evidence of Blood Lead Testing for Enrolled Children.**  
13A.15.03.04C
- **Licensing Specialist Did Not Observe a Barrier Secured at the Bottom of the First Floor Steps. Please Secure a Gate So That Children Cannot Potentially Go Up Steps and Fall Down.**  
13A.15.05.04B(2)
- **Licensing Specialist Did Not Observe Child Proof Devices on the Laundry Room Door nor the Bedroom Doors on the Same Floor as the Child Care Area.**  
13A.15.05.04B(3)
- **Licensing Specialist Did Not Observe a Daily Schedule of Activities Posted.**  
13A.15.09.01A
- **Licensing Specialist Did Not Observe a Written Screen Time Policy.**  
13A.15.09.01B(6)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.