

## Patricia Bell

Beverley Pl  
Edgewater, MD

### 2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Feb 24, 2026

#### ● 3 Important

Across 2 inspections since 2023, the issues cited most often were Specialist Observed One Child's File That Did Not Include a Lead Test When the Child Turned 24 Months Old. Provider Shall Obtain Lead Test Results From 24 Month Lead Test and Submit a Copy. (1), Specialist Observed That Not All Required First Aid Supplies Were Maintained. First Aid Kit Was Missing 2 Gauze Rolls as Required. See Required First Aid Kit Items Under Resource Documents on the OCC Website. Provider Shall Obtain 2 Gauze Rolls and Submit Photographic Evidence. (1), and Specialist Observed Dog Poop in the Outdoor Child Care Space. (1). None of the 3 findings were critical.

### Inspection Visits

#### Jun 21, 2024 2 Findings ● 2 Important

- **Specialist Observed One Child's File That Did Not Include a Lead Test When the Child Turned 24 Months Old. Provider Shall Obtain Lead Test Results From 24 Month Lead Test and Submit a Copy.**

13A.15.03.04C

- **Specialist Observed That Not All Required First Aid Supplies Were Maintained. First Aid Kit Was Missing 2 Gauze Rolls as Required. See Required First Aid Kit Items Under Resource Documents on the OCC Website. Provider Shall Obtain 2 Gauze Rolls and Submit Photographic Evidence.**

13A.15.10.01H(1)

#### Jul 18, 2023 1 Finding ● 1 Important

- **Specialist Observed Dog Poop in the Outdoor Child Care Space.**

13A.15.05.05A

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.