

Dora Escobar

Flagstaff Street
Hyattsville, MD

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Dec 15, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were Licensing Specialist Observed the Backyard of the Home Having an Uncovered Grill and Ladders That Could Potentially Be Dangerous to Children in Care. (1) and Licensing Specialist Did Not Observe the Following Required Items in the First Aid Kit: Scissors, Tape, Roll Gauze, Safety Pins, Soap, Triangular Bandage, Whistle, Washcloth, and Paper Towels. (1). None of the 2 findings were critical.

Inspection Visits

Dec 15, 2025 2 Findings ● 2 Important

- **Licensing Specialist Observed the Backyard of the Home Having an Uncovered Grill and Ladders That Could Potentially Be Dangerous to Children in Care.**

13A.15.05.05A

- **Licensing Specialist Did Not Observe the Following Required Items in the First Aid Kit: Scissors, Tape, Roll Gauze, Safety Pins, Soap, Triangular Bandage, Whistle, Washcloth, and Paper Towels.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.