

Brookfield Christian School

Ten Oaks Road
Clarksville, MD

2 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Jul 21, 2025

● 14 Important

Across 2 inspections since 2024, the issues cited most often were Submit Updated Staffing Patterns to OCC. Several Rooms Have Staff Changes That Are Not Reflected on the Staffing Patterns. (1), Room 4 Has a Capacity of 6 Children on the License. During This Inspection There Were 9 Children in Room 4. Submit a Change of Facilities Form and a Staffing Pattern for This Room for Correction. (1), and There Was No Operable Telephone Available in the Toddler Room. Correct and Submit Correction to OCC. (1). None of the 14 findings were critical.

Inspection Visits

Jul 21, 2025 5 Findings ● 5 Important

- **Submit Updated Staffing Patterns to OCC. Several Rooms Have Staff Changes That Are Not Reflected on the Staffing Patterns.**

13A.16.03.05B

- **Room 4 Has a Capacity of 6 Children on the License. During This Inspection There Were 9 Children in Room 4. Submit a Change of Facilities Form and a Staffing Pattern for This Room for Correction.**

13A.16.03.07A

- **There Was No Operable Telephone Available in the Toddler Room. Correct and Submit Correction to OCC.**

13A.16.05.10C

- **3 Aides Have Not Completed the Original Basic Health and Safety Training Within 90 Days of Hire. Correct and Submit Correction to OCC.**

13A.16.06.12A(3)

- **2 Aides Have Not Completed the Aide Orientation Training Within 6 Months of Their Hire Date. Correct and Submit Correction to OCC.**

13A.16.06.12C

Jun 26, 2024 9 Findings ● 9 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Several Emergency Cards Have Not Annually Updated. Correct and Submit Correction.**
13A.16.03.04C
- **One Child Did Not Have Part II of the Health Inventory on File.**
13A.16.03.04D(3)
- **3 Children Need Evidence of a Blood Lead Test on File.**
13A.16.03.04E
- **One Child Needs an Updated Record of Immunizations, and One Child Did Not Have Evidence of Immunizations on File.**
13A.16.03.04G
- **Repair Section of Wall in Room 4. Replace Worn Toilet Seat in the Bathroom Between Rooms 6 and 7. Correct and Submit Correction to OCC.**
13A.16.05.01A(1)
- **The Shed Located on the Playground Did Not Have a Lock on It During This Inspection. There Is a Gap Under the Fence That Needs to Be Filled In. Correct and Submit Correction to OCC.**
13A.16.05.12D
- **One Staff Member Has a Medical That Is Over 5 Years Old.**
13A.16.06.04A(4)
- **Room 1, Room 2, and Room 8 Need a Posted Daily Schedule. Correct and Submit Correction to OCC.**
13A.16.09.01A(1)
- **4 Infants and Toddlers Need an Updated Infant Toddler Activity Plan. Correct and Submit Correction to OCC.**
13A.16.09.02C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.