

AlphaBEST@Andrew Jackson Academy

Regency Parkway
District Heights, MD

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Nov 20, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed That Completed Three Emergency Forms Are Required to Be Completed and That Three Health Assessment Forms Are to Be Completed. (1), LS Observed That Three Children Need Completed Emergency Forms. Two of the Three Need Signature and Date. Three Children Need to Have Emergency Form Annually Updated (1), and LS Conducted Conversion Inspection on 11/20/2025. LS Observed That the Director nor the Staff Held a Current CPR/First Aid Certificate (1). None of the 5 findings were critical.

Inspection Visits

Nov 20, 2025 3 Findings ● 3 Important

- **LS Observed That Completed Three Emergency Forms Are Required to Be Completed and That Three Health Assessment Forms Are to Be Completed.**

13A.16.03.02A

- **LS Observed That Three Children Need Completed Emergency Forms. Two of the Three Need Signature and Date. Three Children Need to Have Emergency Form Annually Updated**

13A.16.03.04C

- **LS Conducted Conversion Inspection on 11/20/2025. LS Observed That the Director nor the Staff Held a Current CPR/First Aid Certificate**

13A.16.10.02A(1)

Oct 8, 2024 2 Findings ● 2 Important

- **LS Did Not Observe a Posted Staffing Pattern.**

13A.16.03.05B

- **LS Did Not Observe a Refrigerator Thermometer.**

13A.16.12.05C(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.