

## Gisele Welch

Tramore Road  
Baltimore, MD

### 2 Inspection Visits Since 2023 - 7 Findings

Most recent inspection: Jul 30, 2025

● 7 Important

Across 2 inspections since 2023, the issues cited most often were L.S Observed 2 Emergency Cards That Were Not Updated as Required. (2), Written Statements Regarding Individual Needs Were Not Observed in Any Child File; 2 Child Emergency Cards Had Not Been Updated as Required. (1), and LS Observed Chipping Paint on the Door to the Bathroom, an Interior Wooden Door, and the Wall Under the Basement Window., on the Back Interior Wall. LS Requested Information Regarding Lead Paint; Provider Stated the She Had Submitted Information; LS Will Follow Up Regarding What Information OCC Has. (1). None of the 7 findings were critical.

### Inspection Visits

**Jul 31, 2024** 6 Findings ● 6 Important

● **L.S Observed 2 Emergency Cards That Were Not Updated as Required.**

13A.15.03.04A(3)

● **Written Statements Regarding Individual Needs Were Not Observed in Any Child File; 2 Child Emergency Cards Had Not Been Updated as Required.**

13A.15.03.04C

● **LS Observed Chipping Paint on the Door to the Bathroom, an Interior Wooden Door, and the Wall Under the Basement Window., on the Back Interior Wall. LS Requested Information Regarding Lead Paint; Provider Stated the She Had Submitted Information; LS Will Follow Up Regarding What Information OCC Has.**

13A.15.05.02C(1)

● **LS Observed a Picnic Table Splintering Wood.**

13A.15.05.05A

● **LS Observed the Children Playing in an Inflatable Plastic Pool Filled Approximately 6 Inches Deep; The Activity Was Finishing; The Pool Was Deflated.**

13A.15.05.05C

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Carpet Cleaner, Paint, and Air Freshener on Top of Toy Storage Unit Directly in Front of the Microwave Oven.**  
13A.15.10.02

**Jul 31, 2023** 1 Finding ● 1 Important

- **I Emergency Card Did Not Contain Complete Physician Contact Information.**  
13A.15.03.04A(3)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.